



Chapter 11

Working with Math

Copyright

This document is Copyright © 2020 by the LibreOffice Documentation Team. Contributors are listed below. You may distribute it and/or modify it under the terms of either the GNU General Public License (<http://www.gnu.org/licenses/gpl.html>), version 3 or later, or the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0/>), version 4.0 or later.

All trademarks within this guide belong to their legitimate owners.

Contributors

The 2020 edition of this book is adapted and updated from **Math Guide** *OpenOffice.org 6.4* and included as the final chapter of Bernard Poole's *LibreOffice Tutorials*. All credit goes to the **Contributors to the 2019 Edition** and to the **Contributors to Previous Editions**, as listed below.

To the 2020 edition

Pulkit Krishna and Bernard Poole

The 2019 edition of this book is adapted and updated from **Math Guide** *OpenOffice.org 6.4*.

To the 2019 Edition

Roman Kuznetsov

Dave Barton

Olivier Hallot

To Previous Editions

Peter Schofield

Hazel Russman

Laurent Balland-Poirier

Jean Hollis Weber

Daniel Carrera

Agnes Belzunce

T. J. Frazier

Peter Kupfer

Ian Laurensen

Janet M. Swisher

Michele Zarri

Additional material has been added from the German Math Handbuch for LibreOffice 3.4 (translated to English by Hazel Russman). Contributors to that book are:

Regina Henschel

Christian Kühn

Florian Reisinger

Gisbert Friege (Dmaths)

Jochen Schiffers

Additional material has been added from the French How-To Math for LibreOffice (translated to English by Laurent Balland-Poirier). Contributors to that book are:

Bernard Siaud

Frédéric Parrenin

Feedback

Please direct any comments or suggestions about this document to the Documentation Team's mailing list: documentation@global.libreoffice.org

- Note:

Everything you send to a mailing list, including your email address and any other personal information that is written in the message, is publicly archived and cannot be deleted.

Publication date and software version

Published **April 2020**. Based on LibreOffice **6.4**.

This book is adapted and updated from *Math Guide* by Pulkit Krishna and Bernard Poole.

Feedback

Please direct any comments or suggestions about this document to the Documentation Team's mailing list: documentation@global.libreoffice.org



Note:

Everything you send to a mailing list, including your email address and any other personal information that is written in the message, is publicly archived and cannot be deleted.

Publication date and software version

Published April 2020. Based on LibreOffice.

CONTENTS

COPYRIGHT	376
CREATING AND EDITING FORMULAS	379
Getting started	379
Creating and editing formulas	381
Formula layout	386
Changing formula appearance	391
Formula library	398
FORMULAS IN WRITER.....	399
Automatic formula numbering	399
Anchoring formulas	400
Vertical alignment	401
Object spacing	402
Text mode	403
Background and borders	403
Quick insertion of formulas	405
FORMULAS IN CALC, DRAW AND IMPRESS	405
Anchoring formulas	406
Formula object properties	406
Formulas in charts	406
CUSTOMIZATION	407
Chemical formulas	407
Floating dialogs	407
Adding keyboard shortcuts	408
Catalog customization	410
Formula spacing	413
Extensions	413
EXPORTING AND IMPORTING.....	414
Math ML format	414
Microsoft file formats	414

Before you begin



Caution

You'll find it easiest to use this tutorial if you follow the directions carefully. On computers there are always other ways of doing things, but if you wander off on your own be sure you know your way back!

Chapter 11 makes the assumption that you are already familiar with a computing environment, though you may not be an expert in its use. You also should be familiar with the **Windows**, **Icons**, **Menus**, and **Pointers** (the so-called **WIMP** interface) with which you interact with the computer.

CREATING AND EDITING FORMULAS

Math is a formula editor module included with LibreOffice that allows you to create or edit formulas (equations) in a symbolic form, within LibreOffice documents or as stand-alone objects; example formulas are shown below. However, if you want to evaluate numeric values using formulas, then refer to the Calc Guide for more information as Math does not carry out any actual calculation.

$$\frac{df(x)}{dx} = \ln(x) + \tan^{-1}(x^2) \text{ or } \text{NH}_3 + \text{H}_2\text{O} \rightleftharpoons \text{NH}_4^+ + \text{OH}^-$$

The Formula Editor in Math uses a markup language to represent formulas. This markup language is designed to be easily read wherever possible. For example, a over b, when used in a formula, produces the fraction:

$$\frac{a}{b}$$

Getting started

Using the Formula Editor, you can create a formula as a separate document or file for a formula library, or insert formulas directly into a document using LibreOffice Writer, Calc, Impress, or Draw.

Formulas as separate documents or files

To create a formula as a separate document or file, use one of the following methods to open an empty formula document in LibreOffice Math (Figure 1 next page).

- On the main menu bar, go to **File > New > Formula**.
- On the Standard toolbar, click the triangle to the right of the **New** icon  and select **Formula** from the context menu.




Figure 1:

An empty formula document in Math

- From the Start Center, click **Math Formula**.
- From within LibreOffice Math, use the keyboard shortcut **Ctrl+N**.

As you enter the markup language in the Formula Editor, the formula will appear in the Preview window during and after input of the markup language. The Elements Dock to the left of the Preview window may also appear, if these have been selected in **View** on the main menu bar. For more information on creating formulas, see “**Error! Reference source not found.**” on Page **Error! Bookmark not defined.**

Formulas in LibreOffice documents

To insert a formula into a LibreOffice document, open the document in Writer, Calc, Draw, or Impress. The LibreOffice module you are using affects how you position the cursor to insert the formula.

- In Writer, click in the paragraph where you want to insert the formula.
- In Calc, click in the spreadsheet cell where you want to insert the formula.
- In Draw and Impress, the formula is inserted into the center of the drawing or slide.

Then, go to **Insert > Object > Formula** on the main menu bar to open the Formula Editor. Alternatively, go to **Insert > Object > OLE Object** on the main menu bar to open the Insert OLE Object dialog, select **Create new** option and **Formula** from the sub-menu, then click OK to open the Formula Editor. The Elements Dock to the left of the Preview window and/or the Elements dialog as a floating dialog may also appear, if these have been selected in **View** on the main menu bar. For more information on creating formulas, see “**Error! Reference source not found.**” on Page **Error! Bookmark not defined.**

Figure 2 next page shows an example Writer document with the formula box selected ready for a formula to be entered.




Figure 2: Empty formula in a Writer document

When you have completed entering the markup language for your formula, close the Formula Editor by pressing the **Esc** key or by clicking an area outside the formula in your document. Double-clicking on the formula object in your document will open the Formula Editor again so that you can edit the formula.

Formulas are inserted as OLE objects into documents. You can, as with any OLE object, change how the object is placed within your document. For more information on OLE objects, see **Error! Reference source not found.**, **Error! Reference source not found.** and the user guides for Writer, Calc, Draw, and Impress.

If you frequently insert formulas into documents, it is recommended to add the Formula button to the Standard toolbar or create a keyboard shortcut. See C for more information.

Creating formulas

You can insert a formula using one of the following methods:

- In the Elements Dock, select a category from the drop-down list, then a symbol.
- Right-click in the Formula Editor and select a category, then a symbol from the context menu.
- Enter markup language directly in the Formula Editor.



NOTE

Using the Elements Dock, or the context menus to insert a formula provides a convenient way to learn the markup language used by LibreOffice Math.



Tip

When using the Elements Dock, it is recommended to have *Tips* selected in the LibreOffice Options. This will help you identify the categories and symbols you want to use in your formula. Go to **Tools > Options** on the main menu bar, then select **LibreOffice > General** in the Options dialog and select **Extended Tips** in the *Help* section.

Elements Dock

The Elements Dock can be used when entering your formula data. The Elements Dock also provides an Example category which gives you example formulas to use as a starting point for your formula or equation.

- 1) Go to **View** on the main menu bar and select **Elements Dock** to open the Elements Dock (Figure 3).
- 2) Select the category you want to use in your formula from the drop-down list at the top of the Elements Dock.
- 3) Select the symbol you want to use in your formula from the Elements Dock. The symbols that are available change according to the selected category.




Figure 3: Elements Dock



NOTE

The Elements Dock can either be a floating dialog, as shown in Figure 3, or positioned to the left of the Formula Editor, as shown in Figure 1 and Figure 2.

Context menu

The Formula Editor also provides a context menu to access categories and symbols when creating your formula. Right-click in the Formula Editor to open the context menu. Select a category and then select the markup example that you want to use from the sub-context menu, an example is shown in Figure 4.



NOTE

The Elements Dock, or context menu only contain the most common commands that are used in formulas. For some seldom-used commands, you must always enter the command using the markup language. For a complete list of commands, see **Error! Reference source not found.**




Figure 4: Context menu in Formula Editor

Markup language

Markup language is entered directly into the Formula Editor. For example, typing the markup language `5 times 4` into the Formula Editor creates the simple formula 5×4 . If you are experienced in using markup language, it can be the quickest way to enter a formula. Table 1 shows some examples of using markup language to enter commands. For a full list of commands that can be used in the Formula Editor, see *Appendix A Commands Reference*.

Table 1: Example commands using markup language

Display	Command	Display	Command
$a = b$	<code>a = b</code>	$\sqrt{a}$	<code>sqrt {a}</code>
a^2	<code>a^2</code>	a_n	<code>a_n</code>
$\int f(x)dx$	<code>int f(x) dx</code>	$\sum a_n$	<code>sum a_n</code>
$a \leq b$	<code>a <= b</code>	∞	<code>infinity</code>
$a \times b$	<code>a times b</code>	$x \cdot y$	<code>x cdot y</code>

Greek characters

Greek characters are commonly used in formulas, but Greek characters cannot be entered into a formula using the Elements Dock, or the context menu. Use the English names of Greek characters in markup language when entering Greek characters into a formula. See *Appendix A Commands Reference* for a list of Greek characters that can be entered using markup language.

Using markup language for Greek characters

- For a lowercase Greek character, type a percentage % sign, then type the character name in lowercase using the English name. For example, typing %lambda creates the Greek character λ .
- For an UPPERCASE Greek character, type a percentage % sign, then type the character name in UPPERCASE using the English name. For example, typing %LAMBDA creates the Greek character Λ .
- For an *italic* Greek character, type a percentage % sign followed by the i character, then the English name of the Greek character in lower or UPPER case. For example, typing %iTHETA creates the *italic* Greek character Θ .

Symbols dialog

Greek characters can also be entered into a formula using the Symbols dialog.

- 1) Make sure your cursor is in the correct position in the Formula Editor.
- 2) Go to **Tools > Symbols** on the main menu, click the toolbar Symbols icon  to open the Symbols dialog (Figure 5)
- 3) Select *Greek* from the **Symbol set** drop-down list. For *italic* characters, select *iGreek* from the drop-down list.
- 4) Select the Greek character from the symbol list, then click **Insert**. When selected, the name of a Greek character is shown below the symbol list.
- 5) Click **Close** when you have finished entering Greek characters into your formula.




Figure 5: Symbols dialog

Formula examples

Example 1

The simple formula 5×4 can be created using LibreOffice Math as follows:

- 1) Make sure your cursor is flashing in the Formula Editor, then select the category **Unary/Binary Operators** and symbol **Multiplication** using one of the following methods:
 - In the Elements Dock, select **Unary/Binary Operators** from the drop-down list and then select the **Multiplication** icon .

- Right-click in the Formula Editor and select **Unary/Binary Operators > a times b** from the context menu.
 - Using markup language, enter `5 times 4` in the Formula Editor.
 - The first three methods place the formula text `<?> times <?>` in the Formula Editor and the symbol $\square \times \square$ appears in the document.
 - Using markup language in the Formula Editor places the formula 5×4 directly into your document and there is no need to carry out the following steps.
- 2) Select the first placeholder `<?>` before the word `times` in the Formula Editor and replace it with the character `5`. The formula in your document updates automatically.
 - 3) Select the second placeholder `<?>` after the word `times` in the Formula Editor and replace it with the character `4`. The formula in your document updates automatically.



Tip

To move forward from one placeholder to the next placeholder in a formula, press the **F4** key. To move backward from one placeholder to the previous placeholder in a formula, use the key combination **Shift+F4**.



NOTE

If necessary, you can prevent a formula in a document from updating automatically. Go to **View** on the main menu bar and deselect **AutoUpdate display**. To then manually update a formula, press **F9** key or select **View > Update** on the main menu bar.

Example 2

You want to enter the formula $\pi \approx 3.14159$ where the value of pi is rounded to 5 decimal places. You know the name of the Greek character (pi), but do not know the markup associated with the **Is Similar Or Equal** symbol $\approx$.

- 1) Make sure your cursor is flashing in the Formula Editor.
- 2) Enter `%pi` in the Formula Editor to enter the Greek character for pi (π).
- 3) Select the category **Relations** and symbol **Is Similar Or Equal** using one of the following methods:
 - In the Elements Dock, select **Relations** from the drop-down list and then select the **Is Similar Or Equal** icon $\square \approx \square$.
 - Right-click in the Formula Editor and select **Relations > a simeq b** from the context menu.
- 4) Delete the first placeholder `<?>` before the word `simeq` in the Formula Editor.
- 5) Select the second placeholder `<?>` after the word `simeq` in the Formula Editor and replace it with the characters `3.14159`. The formula $\pi \approx 3.14159$ now appears in your document.

Editing formulas

How you edit a formula and switch into formula editing mode depends on whether the formula is in Math or another LibreOffice module.

- 1) In Math, double-click on a formula element in the formula that appears in the Preview window to select the formula element in the Formula Editor, or directly select a formula element in the Formula Editor.

- 2) In Writer, Calc, Impress, or Draw, double-click on the formula, or right-click on the formula and select **Edit** from the context menu, to open the Formula Editor and enter editing mode. The cursor is positioned at the start of the formula in the Formula Editor.



NOTE

If you cannot select a formula element using your cursor, click on the **Formula Cursor** icon  in the Tools toolbar to activate the formula cursor.

- 3) Select the formula element you want to change using one of the following methods:
 - Click on the formula element in the preview window, positioning the cursor at the beginning of the formula element in the Formula Editor, then select the formula element in the Formula Editor.
 - Double-click on the formula element in the preview window to select the formula element in the Formula Editor.
 - Position the cursor in the Formula Editor at the formula element you want to edit, then select that formula element.
 - Double-click directly on the formula element in the Formula Editor to select it.
- 4) Make your changes to the formula element you have selected.
- 5) Go to **View > Update** on the main menu bar, or press the **F9** key, or click on the **Update** icon  on the Tools toolbar to update the formula in the preview window or your document.
- 6) In Math, save your changes to the formula after editing.
- 7) In Writer, Calc, Impress, or Draw, click anywhere in your document away from the formula to leave editing mode, then save your document to save your changes to the formula.

Formula Layout

This section provides some advice on how to layout complex formulas in Math or in your LibreOffice document.

Using braces

LibreOffice Math knows nothing about order of operation within a formula. You must use braces (curly brackets) to state the order of operations that occur within a formula. The following examples show how braces can be used in a formula.

Example 1

`2 over x + 1` gives the result $\frac{2}{x} + 1$

Math has recognized that the 2 before and the x after the over as belonging to the fraction, and has represented them accordingly. If you want x+1 rather than x to be the denominator, you must bracket them together using braces so that both will be placed there.

Inserting braces into `2 over {x + 1}` gives the result $\frac{2}{x+1}$ where x+1 is now the denominator.

Example 2

`- 1 over 2` gives the result $\frac{-1}{2}$

Math has recognized the minus sign as a prefix for the 1 and has therefore placed it in the numerator of the fraction. If you wish to show that the whole fraction is negative, with the minus sign in front of the fraction, you must put the fraction in braces to signify to Math that the characters belong together.

Adding braces into the markup language `- {1 over 2}` gives the result $-\frac{1}{2}$ and the whole fraction is now negative.

Example 3

When braces are used in markup language, they are used to define the layout of the formula and are not displayed or printed. If you want to use braces within a formula, use the commands `\lbrace` and `\rbrace` within the markup language.

`x over {-x + 1}` gives the result $\frac{x}{-x+1}$

Replace the braces using the commands `\lbrace` and `\rbrace` in the markup language. Write `x over \lbrace -x + 1 \rbrace` and the result is $\frac{x}{\{-x+1\}}$

Brackets (parentheses) and matrices

If you want to use a matrix in a formula, you have to use a matrix command. For example, `matrix { a # b ## c # d }` gives the resulting matrix $\begin{matrix} a & b \\ c & d \end{matrix}$ in your formula, where rows are separated by two hashes (##) and entries within each row are separated by one hash (#).

Normally, when you use brackets within a matrix, the brackets do not scale as the matrix increases in size. For example, `( matrix { a # b ## c # d } )` gives the result $\begin{pmatrix} a & b \\ c & d \end{pmatrix}$

To overcome this problem of brackets with a matrix, LibreOffice Math provides scalable brackets that grow in size to match the size a matrix. The commands `\left(` and `\right)` have to be used to create scalable brackets within a matrix. For example, `\left( matrix { a # b ## c # d } \right)` gives the result $\left(\begin{matrix} a & b \\ c & d \end{matrix} \right)$ where the matrix is now bracketed by scalable brackets.

Scalable brackets can also be used with any element of a formula, such as fraction, square root, and so on.



Tip

Use the commands `\left[` and `\right]` to obtain square brackets. A list of all brackets available within Math can be found in *Appendix A Commands Reference*.



Tip

If you want all brackets to be scalable, go to **Format > Spacing** to open the Spacing dialog. Click on **Category**, select *Brackets* from the drop-down list and then select the option **Scale all brackets**.

Unpaired brackets

When using brackets in a formula, Math expects that for every opening bracket there will be a closing one. If you forget to add a closing bracket, Math places an inverted question mark next to where the closing bracket should have been placed. This inverted question mark disappears when all the brackets are paired. However, an unpaired bracket is sometimes necessary and you have the following options.

Non scalable brackets

A backslash `\` is placed before a non scalable bracket to indicate that the following character should not be regarded as a bracket, but as a literal character.

For example, the unpaired brackets in the formula `[ a; b [` are deliberate, but gives the

result $a; b$. To remove the inverted question marks and create unpaired brackets, backslashes are

added. The formula now becomes $\left[\begin{array}{l} a; b \end{array} \right]$ and the result $[a; b]$ shows unpaired brackets without the inverted question marks.

Scalable brackets

To create unpaired scalable brackets or braces in a formula, the markup commands `left`, `right`, and `none` are used.

Example

You want to create the formula $|x| = \begin{cases} x & \text{for } x \geq 0 \\ -x & \text{for } x < 0 \end{cases}$ and in the Formula Editor you enter `abs = x`
`lbrace stack {x "for" x >= 0 # -x "for" x < 0}`. However, this gives the

incorrect result $\begin{matrix} x & \text{for } x \geq 0 \\ -x & \text{for } x < 0 \end{matrix}$. To remove the inverted question marks and create the correct formula,

you have to use the markup commands `left`, `right`, and `none`. Change your entry in the Formula Editor to `abs x = left lbrace stack {x "for" x >= 0 # -x "for" x < 0} right none` and this creates the correct formula.

Recognizing functions

In the basic installation of Math, Math outputs functions in normal characters and variables in italic characters. However, if Math fails to recognize a function, you can tell Math that you have just entered a function. Enter the markup command `func` before a function forces Math to recognize the following text as a function and uses normal characters.

For a full list of functions within Math, see **Error! Reference source not found.**

Some Math functions have to be followed by a number or a variable. If these are missing, Math places an inverted question mark where the missing number or variable should be. To remove the inverted question mark and correct the formula, you have to enter a number, a variable, or a pair of empty brackets as a placeholder.



Tip

You can navigate through errors in a formula using the key `F3` or the key combination `Shift+F3`.

Formulas over multiple lines

Suppose you want to create a formula that requires more than one line, for example $\begin{matrix} x = 3 \\ y = 1 \end{matrix}$. Your first reaction would normally be to press the `Enter` key. However, if you press the `Enter` key, the markup language in the Formula Editor goes to a new line, but the resulting formula does not have two lines. You must type the macro command `newline` each time you want to create and display a new line in a formula.

Example

`x = 3`
`y = 1`
gives the incorrect result $x = 3y = 1$

`x = 3 newline y = 1` gives the correct result $\begin{matrix} x = 3 \\ y = 1 \end{matrix}$

It is not possible in Math to create multiple line formulas when a line ends with an equals sign and you want to continue the calculation on a new line without completing the term on the right side of the equals sign. If you require a multiple line formula to have an equals sign at the end of a line without a term after the equals sign, then use either empty quotes "" or empty braces {} or the space characters grave ` or tilde ~.

By default, the alignment of a multiple line formula is center aligned. For more information on alignment using the equals sign, see C.

Spacing between the element in a formula is not set by using space characters in the markup language. If you want to add spaces into your formula, use one of the following options:

- Grave ` to add a small space.
- Tilde ~ for a large space.
- Add space characters between quotes ". These spaces will be considered as text.

Any spaces at the end of a line in the markup language are ignored by default. For more information, see C.

Adding limits to sum/integral commands

The sum and integral commands can take the parameters `from` and `to` if you want to set the lower and upper limits respectively. The parameters `from` and `to` can be used singly or together as shown by the following examples. For more information on the sum and integral commands, see **Error! Reference source not found.**

Examples

`sum from k = 1 to n a_k` gives the result $\sum_{k=1}^n a_k$
`int from 0 to x f(t) dt` gives the result $\int_0^x f(t)dt$
`int_0^x f(t) dt` gives the result $\int_0^x f(t)dt$
`int from Re f` gives the result $\int_{\Re} f$
`sum to infinity 2^{-n}` gives the result $\sum^{\infty} 2^{-n}$

Writing derivatives

When writing derivatives, you have to tell Math that it is a fraction by using the `over` command. The `over` command is combined with the character `d` for a total derivative or the `partial` command for a partial derivative to achieve the effect of a derivative. Braces `{ }` are used each side of the element to surround the element and make the derivative as shown by the following examples.

Examples

`{df} over {dx}` gives the result $\frac{df}{dx}$
`{partial f} over {partial y}` gives the result $\frac{\partial f}{\partial y}$
`{partial^2 f} over {partial t^2}` gives the result $\frac{\partial^2 f}{\partial t^2}$



Note

To write function names with primes, as is normal in school notation, you must first add the symbols to the catalog. See C for more information.

Markup language characters as normal characters

Characters that are used as controls in markup language cannot be entered directly as normal characters. These characters are: `%`, `{`, `}`, `&`, `|`, `_`, `^` and `"`. For example, you cannot write `2% = 0.02` in markup language and expect the same characters to appear in your formula. To overcome this limitation in markup language, use one of the following methods:

- Use double quotes either side of the character to mark that character as text, for example $2\% = 0.02$ will appear in your formula as $2\% = 0.02$. However, this method cannot be used for the double-quote character itself, see “Text in formulas” below.
- Add the character to the Math Catalog, for example the double quote character.
- Use commands, for example `\lbrace` and `\rbrace` give you literal braces $\{ \}$.



Note

The Special Characters dialog used by other LibreOffice modules is not available in Math. If you are going to regularly require special characters in Math, then it is recommended to add the characters to the Math Catalog, see C for more information.

Text in formulas

To include text in a formula, you have to enclose any text in double-quotes, for example x " for $x \geq 0$ in markup language will create the formula $x \geq 0$. All characters, except double quotes, can be used in text. However, if you require double quotes in your formula text, then you have to create your text with double quotes in LibreOffice Writer, then copy and paste the text into the Formula Editor as shown in Figure 6.

The font used for text in a formula will be the default font that has been set in the Fonts dialog. For more information on how to change fonts used for in formulas, see “**Error! Reference source not found.**” on page **Error! Bookmark not defined.**

By default, text alignment is left-justified in formulas. For more information on how to change text alignment, see “Adjusting formula alignment” on page 396.




Figure 6: Example of double

quotes in formula text

Formatting commands are not interpreted within text used in formulas. If you want to use formatting commands within formula text, then you must break up the text using double quotes in the Formula Editor.

Example

Enter the following in the Formula Editor:

"In " color blue bold "isosceles" "triangles, the base angles are equal"

creates the following text in a formula $\text{In isosceles triangles, the base angles are equal}$

Aligning formulas using equals sign

LibreOffice Math does not have a command for aligning formulas on a particular character. However, you can use a matrix to align formulas on a character and this character is normally the equals sign (=).

Example

Creating the matrix:

```
matrix{ alignr x+y # {}={} # alignl 2 ## alignr x # {}={} # alignl  
2-y }
```

gives the following result where formulas are aligned on the equals sign
$$\begin{matrix} x+y & = & 2 \\ x & = & 2-y \end{matrix}$$



Note

The empty braces each side of the equals sign are necessary because the equals sign is a binary operator and requires an expression on each side. You can use spaces, or ` or ~ characters each side of the equals sign, but braces are recommended as they are easier to see within the markup language.

You can reduce the spacing on each side of the equals sign if you change the inter-column spacing of the matrix. See “Adjusting formula spacing” on page 394 for information on how to adjust adjust formula spacing.

Changing formula appearance

Formula font size

Current formula font size

To change the font size used for a formula already inserted in Math or another LibreOffice module:

- 1) Click in the markup language in the Formula Editor.
- 2) Go to **Format > Font size** on the main menu bar to open the Font Sizes dialog (Figure 7).
- 3) Select a different font size using the *Base size* spinner or type a new font size in the *Base Size* box.
- 4) Click **OK** to save your changes and close the dialog. An example result when you change font size is shown below.

Example

Default font size 12pt: $\pi \approx 3.14159$

After font size change to 18pt: $\pi \approx 3.14159$




Figure 7: Font Sizes dialog

Default formula font size

To change the default font size used for all formulas in Math or another LibreOffice module:

- 1) Before inserting any formulas in your document, go to **Format > Font size** on the main menu bar to open the Font Sizes dialog (Figure 7).

- 2) Select a different font size using the Base size spinner or type a new font size in the Base Size box.
- 3) Click Default and confirm your changes to the base size font. Any formulas created from this point on will use the new base size font for formulas.
- 4) Click OK to save your changes and close the Font Sizes dialog.



Note

If you have already inserted formulas into your document and you change the default font size, only formulas inserted after the change in default font size will use the new default settings. You have to individually change the font size of formulas already inserted if you want these formulas to use the same font size as the default settings.



Tip

There is an extension “Formatting of all Math formulas”. It allows to change font name and font size for all or only for selected formulas in your document. You can download it from the official extension site: <https://extensions.libreoffice.org/extensions/formatting-of-all-math-formulas>

Font size options

The Font Sizes dialog (Figure 7) specifies the font sizes for your formula. Select a base size and all elements of the formula will be scaled in relation to this base.

- **Base size** – all elements of a formula are proportionally scaled to the base size. To change the base size, select or type in the desired point (pt) size. You can also use other units of measure or other metrics, which are then automatically converted to points.
- **Relative Sizes** – in this section, you can determine the relative sizes for each type of element with reference to the base size.
 - *Text* – select the size for text in a formula relative to the base size.
 - *Indexes* – select the relative size for the indexes in a formula in proportion to the base size.
 - *Functions* – select the relative size for names and other function elements in a formula in proportion to the base size.
 - *Operators* – select the relative size of the mathematical operators in a formula in proportion to the base size.
 - *Limits* – select the relative size for the limits in a formula in proportion to the base size.
- **Default** – clicking this button saves any changes as a default for all new formulas. A confirmation message appears before saving any changes.

Formula fonts

Current formula fonts

To change the fonts used for the current formula in Math or another LibreOffice module:

- 1) Click in the markup language in the Formula Editor.
- 2) Go to **Format > Fonts** on the main menu bar to open the Fonts dialog (Figure 8).
- 3) Select a new font for each the various options from the drop-down lists.

- 4) If the font you want to use does not appear in the drop-down list, click **Modify** and select the option from the context menu to open a fonts dialog. Select the font you want to use and click **OK** to add it to the drop-down list for that option.
- 5) Click **OK** to save your changes and close the Fonts dialog.




Figure 8: Fonts Dialog

Default formula fonts

To change the default fonts used for all formulas in Math or another LibreOffice module:

- 1) Before inserting any formulas in your document, go to **Format > Fonts** on the main menu bar to open the Fonts dialog (Figure 8).
- 2) Select a new font for each the various options from the drop-down lists.
- 3) If the font you want to use does not appear in the drop-down list, click **Modify** and select the option from the context menu to open a fonts dialog. Select the font you want to use and click **OK** to add it to the drop-down list for that option.
- 4) Click **Default** and confirm your changes to the fonts. Any formulas created from this point on will use the new font for formulas.
- 5) Click **OK** to save your changes and close the Fonts dialog.



Note

If you have already inserted formulas into your document and you change the default fonts, only formulas inserted after the change in default fonts will use the new default settings. You have to individually change the font of formulas already inserted if you want these formulas to use the same font as the default settings.

Formula font options

Defines the fonts that can be applied to formula elements.

- **Formula Fonts** – defines the fonts used for the variables, functions, numbers and inserted text that form the elements of a formula.
 - *Variables* – selects the fonts for the variables in your formula. For example, in the formula $x=\text{SIN}(y)$, x and y are variables and will reflect the assigned font.
 - *Functions* – selects the fonts for names and properties of functions. For example, the functions in the formula $x=\text{SIN}(y)$ are $=\text{SIN}()$.
 - *Numbers* – selects the fonts for the numbers in a formula.

- *Text* – defines the fonts for the text in a formula.
- **Custom Fonts** – in this section of the Fonts dialog (Figure 8), fonts are defined which format other text components in a formula. The three basic fonts Serif, Sans and Fixed are available. Other fonts can be added to each standard installed basic font using the **Modify** button. Every font installed on a computer system is available for use.
 - *Serif* – specifies the font to be used for the font serif format. Serifs are the small "guides" that can be seen, for example, at the bottom of a capital A when the Times serif font is used. Using serifs is quite helpful since it guides the eye of a reader in a straight line and can speed up reading.
 - *Sans* – specifies the font to be used for sans font formatting.
 - *Fixed* – specifies the font to be used for fixed font formatting.
- **Modify** – click one of the options from the context menu to access the Fonts dialog, where the font and attributes can be defined for the respective formula and for custom fonts.
- **Default** – clicking this button saves any changes as a default for all new formulas. A confirmation message appears before saving any changes.



Note

When a new font is selected for a formula, the old font remains in the list alongside the new one and can be selected again.



Note

Variables should be written in *italics*, so make sure that the *Italic* option is selected. For the font you want to use. For all other elements, use the basic form of a font. The style can be easily altered in the formula itself by using the commands `italic` or `bold` to set these characteristics and `nitalic` or `nbold` to unset them.

Adjusting formula spacing

Use the Spacing dialog (Figure 9) to determine the spacing between formula elements. The spacing is specified as a percentage in relation to the defined base size for font sizes.




Figure 9: Spacing Dialog

Current formula spacing

To change the spacing used for the current formula in Math or another LibreOffice module:

- 1) Click in the markup language in the Formula Editor.
- 2) Go to **Format > Spacing** on the main menu bar to open the Spacing dialog (Figure 9).
- 3) Click **Category** and select one of the options from the drop-down list. The options in the Spacing dialog change according to the category selected.
- 4) Enter new values for the spacing category and click **OK**.

- 5) Check the result in your formula. If not to your satisfaction, repeat the above steps.

Default formula spacing

To change the default spacing used for all formulas in Math or another LibreOffice module:

- 1) Before inserting any formulas in your document, go to **Format > Spacing** on the main menu bar to open the Spacing dialog (Figure 9).
- 2) Click **Category** and select one of the options from the drop-down list. The options in the Spacing dialog change according to the category selected.
- 3) Click **Default** and confirm your changes to the formula spacing. Any formulas created from this point on will use the new spacing for formulas.
- 4) Click **OK** to save your changes and close the Spacing dialog.



Note

If you have already inserted formulas into your document and you change the spacing, only formulas inserted after the change in spacing will use the new default settings. You have to individually change the spacing of formulas already inserted if you want these formulas to use the same spacing as the default settings.

Spacing options

Use Category in the Spacing dialog (Figure 9) to determine the formula element for which you would like to specify the spacing. The appearance of the dialog depends on the selected category. A preview window shows you which spacing is modified through the respective boxes.

- **Category** – pressing this button allows you to select the category for which you would like to change the spacing.
- **Spacing** – defines the spacing between variables and operators, between lines, and between root signs and radicals.
 - *Line Spacing* – determines the spacing between lines.
 - *Root Spacing* – determines the spacing between the root sign and radicals.
- **Indexes** – defines the spacing for superscript and subscript indexes.
 - *Superscript* – determines the spacing for superscript indexes.
 - *Subscript* – determines the spacing for subscript indexes.
- **Fractions** – defines the spacing between the fraction bar and the numerator or denominator.
 - *Numerator* – determines the spacing between the fraction bar and the numerator.
 - *Denominator* – determines the spacing between the fraction bar and the denominator.
- **Fraction Bars** – defines the excess length and line weight of the fraction bar.
 - *Excess length* – determines the excess length of the fraction line.
 - *Weight* – determines the weight of the fraction line.
- **Limits** – defines the spacing between the sum symbol and the limit conditions.
 - *Upper limit* – determines the spacing between the sum symbol and the upper limit.
 - *Lower limit* – determines the spacing between the sum symbol and the lower limit.
- **Brackets** – defines the spacing between brackets and the content.
 - *Excess size (left/right)* – determines the vertical distance between the upper edge of the contents and the upper end of the brackets.

- *Spacing* – determines the horizontal distance between the contents and the upper end of the brackets.
- *Scale all brackets* – scales all types of brackets. If you then enter (a over b) in the Formula Editor, the brackets will surround the whole height of the argument. You normally achieve this effect by entering left (a over b right).
- *Excess size* – adjusts the percentage excess size. At 0% the brackets are set so that they surround the argument at the same height. The higher the entered value is, the larger the vertical gap between the contents of the brackets and the external border of the brackets. The field can only be used in combination with Scale all brackets.
- **Matrices** – defines the relative spacing for the elements in a matrix.
 - *Line spacing* – determines the spacing between matrix elements in a row.
 - *Column spacing* – determines the spacing between matrix elements in a column.
- **Symbols** – defines the spacing of symbols in relation to variables
 - *Primary height* – defines the height of the symbols in relation to the baseline.
 - *Minimum spacing* – determines the minimum distance between a symbol and variable.
- **Operators** – defines the spacing between operators and variables or numbers.
 - *Excess size* – determines the height from the variable to the operator upper edge.
 - *Spacing* – determines the horizontal distance between operators and variables.
- **Borders** – adds a border to a formula. This option is particularly useful if you want to integrate the formula into a text file in LibreOffice Writer. When making settings, make sure that you do not use 0 as a size as this creates viewing problems for text that surrounds the insertion point.
 - *Left* – the left border is positioned between the formula and background.
 - *Right* – the right border is positioned between the formula and background.
 - *Top* – the top border is positioned between the formula and background.
 - *Bottom* – the bottom border is positioned between the formula and background.
- **Preview Field** – displays a preview of the current selection.
- **Default** – saves any changes as default settings for all new formulas. A security response will appear before saving these changes.

Adjusting formula alignment

The alignment settings determine how formula elements located above one another are aligned horizontally relative to each other.



Note

It is not possible to align formulas on a particular character and formula alignment does not apply to text elements. Text elements are always aligned left.



Note

Independent of using formula alignment given below, it is possible to align formulas using the commands `alignl`, `alignc` and `alignr`. These commands also work for text elements.

Current formula alignment

To change the alignment used for the current formula in Math or another LibreOffice module:

- 1) Click in the markup language in the Formula Editor.
- 2) Go to **Format > Alignment** on the main menu bar to open the Alignment dialog (Figure 10).
- 3) Select either *Left*, *Centered*, or *Right* for horizontal alignment.
- 4) Click **OK** and check the result in your formula. If not to your satisfaction, repeat the above steps.




Figure 10: Alignment Dialog

Default formula alignment

To change the default alignment used for all formulas in Math or another LibreOffice module:

- 1) Before inserting any formulas in your document, go to **Format > Alignment** on the main menu bar to open the Alignment dialog (Figure 10).
- 2) Select either *Left*, *Centered*, or *Right* for horizontal alignment.
- 3) Click **Default** and confirm your changes to the formula alignment. Any formulas created from this point on will use the new alignment for formulas.
- 4) Click **OK** and check the result in your formula. If not to your satisfaction, repeat the above steps.



Note

If you have already inserted formulas into your document and you change the formula alignment, only formulas inserted after the change in alignment will use the new default settings. You have to individually change the alignment of formulas already inserted if you want these formulas to use the same alignment as the default settings.

Changing formula color

Character color

Formula color for the characters used in a formula is changed by using the command `color` in the mark up language. This command only works on the formula element immediately after the color name. For example, entering the markup language `color red ABC 5 times 4` gives the result $ABC5 \times 4$.

To change the color of the whole formula, you have to enclose the whole formula within brackets. For example, entering the markup language `color red {ABC 5 times 4}` gives the result $ABC5 \times 4$.

For information on the colors available in Math, see Appendix A Commands Reference.

Background color

It is not possible to select a background color for formulas in LibreOffice Math. The background color for a formula is by default the same color as the document or frame that the formula has been inserted into. However, in *LibreOffice documents*, you can use object properties to change the background color for a formula. For more information on using a background color (area fill for objects) with a formula, please refer to the user guides for Writer, Calc, Draw and Impress.

Formula library

If you regularly insert the same formulas into your documents, you can create a formula library using formulas that you have created using the Formula Editor. Individual formulas can be saved as separate files using the ODF format for formulas with the file suffix of .odf, or in MathML format with the file suffix of .mml.

You can use either LibreOffice Math, Writer, Calc, Draw, or Impress to create formulas and build up your formula library.

Using Math

- 1) Create a folder on your computer to contain your formulas and give the folder a memorable name, for example Formula Library.
- 2) In LibreOffice, go to **File > New > Formula** on the main menu bar, or click on **Math Formula** in the opening splash screen to open LibreOffice Math and create your formula using the Formula Editor. See “Formulas as separate documents or files” on Page 379 for more information.
- 3) Go to **File > Save As** on the main menu bar or use the keyboard shortcut **Ctrl+Shift+S** to open a Save As dialog.
- 4) Navigate to the folder you have created for your formula library.
- 5) Type in a memorable name for your formula in the **File name** text box.
- 6) Select from the drop-down list for **File type** either *ODF Formula (.odf)* or *MathML 1.01 (.mml)* as the file type for your formula.
- 7) Click **Save** to save your formula and close the Save As dialog.

Using Writer, Calc, Draw, or Impress

- 1) Create a folder on your computer to contain your formulas and give the folder a memorable name, for example Formula Library.
- 2) Open a document using Writer, Calc, Draw, or Impress.
- 3) Go to **Insert > Object > Formula** on the main menu bar to open the Formula Editor and create your formula. See “Formulas in LibreOffice documents” on page 380 for more information.
- 4) Right-click on your formula object and select **Save Copy as** from the context menu to open a Save As dialog.
- 5) Navigate to the folder you have created for your formula library.
- 6) Type in a memorable name for your formula in the **File name** text box.
- 7) Select from the drop-down list for **File type** either *ODF Formula (.odf)* or *MathML 1.01 (.mml)* as the file type for your formula.
- 8) Click **Save** to save your formula and close the Save As dialog.

Using your formula library

You cannot insert a formula from your library into a document by dragging and dropping using the mouse, nor by using **Insert > File** on the main menu bar. You must insert a formula from your library into your document as an OLE object.

- 1) Open your document in Writer, Calc, Draw, or Impress.
- 2) Go to **Insert > Object > OLE Object** on the main menu bar to open the Insert OLE Object dialog.
- 3) Select the option **Create from file**.
- 4) Click **Search** to open your file browser dialog.
- 5) Navigate to the folder you have created for your formula library.
- 6) Select the formula you want to insert and click **Open**, or double-click on the formula you want to insert.
- 7) Click **OK** to insert your formula as an OLE object in your document and close the OLE Object dialog.

Formulas in Writer

When a formula is inserted into a document, LibreOffice Writer inserts the formula into a frame and treats the formula as an OLE object. Double-clicking on an inserted formula will open the Formula Editor in LibreOffice Math allowing you to edit the formula. For more information on creating and editing formulas, please refer to **Error! Reference source not found.**

This chapter explains what options you can change for each individual formula within your Writer document. Please refer to the chapters on styles in the *Writer Guide* for information on how to change the default settings for frame styles for OLE objects.

Automatic formula numbering

Automatic numbering of formulas for cross reference purposes can only be carried out in LibreOffice Writer. The easiest way to add numbered formulas in sequence is to use the AutoText entry **fn** (for 'formula numbered').

Numbering

- 1) Start a new line in your document.
- 2) Type **fn** and then press the **F3** key. A two column table with no borders is inserted into your document with the left column containing a sample formula and the right column containing a reference number, as shown below.

$$ABC5 \times 4 \qquad (1)$$

- 3) Delete the sample formula and insert your formula as an object in the left column. See **Error! Reference source not found.** for more information on inserting formulas.
- 4) Alternatively, you can first insert your formula into the document, then carry out Steps 1 and 2 above replacing the sample formula with your formula.

Cross referencing

- 1) Click in your document where you want the cross reference to appear.
- 2) Go to **Insert > Cross-reference** on the menu bar to open the Fields dialog (Figure 11 next page).




Figure 11: Fields Dialog –

Cross References Page

- 3) Click on the **Cross-references** tab, then select *Text* in the **Type** section.
- 4) In the **Selection** section, select the formula number you want to refer to.
- 5) In the **Insert reference to** section, select *Reference* and click **Insert**.
- 6) When you have finished creating cross references, click **Close** to close the Fields dialog.



Tip

To insert the cross reference number without parentheses, select *Numbering* instead of *Reference* in the **Insert** reference to section.



Note

If you want to use square parentheses instead of round ones, or if you want the cross reference number to be separated from the formula by tabs instead of using a table, then refer to the chapter on automatic text in the *Writer Guide*.

Anchoring formulas

A formula is treated as an object within Writer and its default anchoring is **As character** within a paragraph when it is inserted into a document. To change the anchoring of a formula object:

- 1) Right-click on the selected formula object and select **Anchor** from the context menu.
- 2) Select a new anchoring option from the context sub-menu. The anchoring positions available are **To page**, **To paragraph**, **To character**, or **As character**.




Figure 12:

Object dialog – Type tab with Anchor options

- 3) Alternatively, right-click on the selected formula object and select **Properties** from the context menu, or go to **Format > Frame and Object > Properties** on the main menu bar to open the Object dialog (Figure 12 above).
- 4) Make sure the **Type** tab is selected and select a new anchoring position from the *Anchor* section.
- 5) Click **OK** to save your changes and close the Object dialog.



Note

The anchoring options are not available in the Object dialog when you are making changes to the various options available for frame styles. For more information on how to modify frame styles, please refer to the chapters on styles in the *Writer Guide*.

Vertical alignment

The normal default setting for vertical alignment for formula objects is to use the text base line as a reference. This default setting can be changed by modifying the formula frame style, see the chapters on styles in the *Writer Guide* for more information.

To change the vertical alignment position of an individual formula object:

- 1) Right-click on the selected formula object and select **Properties** from the context menu, or go to **Format > Frame and Object > Properties** to open the Object dialog (Figure 12 above).
- 2) Make sure the **Type** tab is selected and select a new alignment position from the drop-down list in the *Position* section. The vertical alignment options available are **Top**, **Bottom**, **Center** or **From bottom**.
- 3) If necessary, type in the text box a plus or minus value for vertical alignment. This option is only available if **From bottom** vertical alignment has been selected.
- 4) Select the type of text alignment from the drop-down list in the *Position* section. The text alignment options available are **Base line**, **Character** and **Row**.
- 5) Click **OK** to save your changes and close the Object dialog.



Note

If the *Position* section in the Object dialog is greyed out and not available, then go to Tools > Options > LibreOffice Writer > Formatting Aids and uncheck the option *Math baseline alignment*. This setting is stored with the document and applies to all formulas within it. Any new documents created will also use this setting for *Math baseline alignment*.

Object spacing

A formula object, when inserted into a Writer document, has spacing each side of the formula object. The default value used for spacing is set within the frame style for formula objects and can be changed by modifying the formula frame style, see the chapters on styles in the *Writer Guide* for more information.

You can individually adjust the spacing for each formula object within your document as follows:

- 1) Create your formula in your Writer document.
- 2) Right-click on your selected formula object and select **Properties** from the context menu, or go to **Format > Frame and Object > Properties** on the main menu bar to open the Object dialog.
- 3) Click on the **Wrap** tab to open the Wrap page in the Object dialog (Figure 13 next page).
- 4) In the **Spacing** section, enter the spacing value for *Left*, *Right*, *Top* and *Bottom* spacing.
- 5) Click **OK** to save your changes and close the Object dialog.




Figure 13: Object dialog – Wrap tab

Text mode

In large formulas placed within a line of text, the formula elements can often be higher than the text height. Therefore, to make large formulas easier to read, it is recommended to always insert large formulas into a separate paragraph of their own so that it is separated from text.

However, if it is necessary to place a large formula within a line of text, double-click on the formula to open the Formula Editor and then go to **Format > Text Mode** on the main menu bar. The Formula Editor will try to shrink the formula to fit the text height. The numerators and denominators of fractions are shrunk, and the limits of integrals and sums are placed beside the integral/sum sign, as shown in the following example.

Example

A formula in a separate paragraph:

$$\sum_{i=2}^5 i^2$$

and the same formula embedded into a line of text using text mode format: $\sum_{i=2}^5 i^2$

Background and borders

The default setting for background (area fill) and borders for formula objects is set by the formula frame style. To change this default setting for formula frame style, refer to the chapters on styles in the *Writer Guide*. However, for individual formulas in your document, you can change the background and borders.



Note

The size of the frame that a formula is placed in when inserted into a document cannot be changed. The frame size for a formula object depends on the setting of the formula font size, see *Chapter 1 Creating & Editing Formulas* for more information.

Backgrounds

- 1) In your document, select the formula where you want to change the background.
- 2) Right-click on the formula and select **Properties** from the context menu, or go to **Format > Frame and Object > Properties** on the main menu bar to open the object dialog.
- 3) Click on the **Area** tab and select the type of fill you want to use for your formula from the *Fill* drop-down list (Figure 14 next page).
- 4) Select the options you want to use for your formula background. The options change depending on the type of fill selected.
- 5) Click **OK** to save your changes and close the Object dialog.




Figure 14:

Object dialog – Area tab

Borders

- 1) In your document, select the formula where you want to change the borders.
- 2) Right-click on the formula and select **Properties** from the context menu, or go to **Format > Frame and Object > Properties** on the main menu bar to open the object dialog.
- 3) Click on the **Borders** tab and select the options you want to use for your formula borders (Figure 15 next page).
- 4) Click **OK** to save your changes and close the Object dialog.




Figure 15:

Object dialog – Borders tab

Quick insertion of formulas

To quickly insert a formula into your Writer document without opening the Formula Editor and you know the markup language for the formula:

- 1) Enter the formula markup language into your document at the position where you want the formula.
- 2) Select the markup language.
- 3) Go to **Insert > Object** on the main menu bar and select **Formula** to create a formula from the selected markup language.

Formulas in Calc, Draw and Impress

In Calc, Draw, and Impress, formulas are inserted as OLE objects without any background (area fill) or borders. See **Error! Reference source not found.** for more information on inserting formulas into a LibreOffice module.

Each formula object is inserted into a spreadsheet, drawing, or slide as follows:

- In Calc, formulas are inserted into a selected cell in a spreadsheet with no style assigned to the formula object.
- In Draw and Impress, formulas are inserted into a central position on your drawing or slide and, by default, are assigned the drawing object style *Object with no fill and no line*. For more information on how to modify or assign drawing object styles, see the *Draw User Guide* or the *Impress User Guide*.

Anchoring formulas

Calc

A formula object can be anchored into your spreadsheet as **To Page** (default setting), or as **To Cell**. To change the anchoring type of formulas in a Calc spreadsheet:

- 1) Select the formula object in your spreadsheet.
- 2) Right-click on the formula and select **Anchor > To Page** or **To Cell** from the context menu
- 3) Alternatively, go to **Format > Anchor** on the main menu bar and select **To Page** or **To Cell**.

Draw and Impress

When a formula is inserted into a drawing or slide, it is inserted as a floating OLE object and is not anchored to any particular position in a drawing or slide.

Formula object properties

Formula objects in Calc, Draw, and Impress can be modified just like any other object that has been placed in your spreadsheet, drawing, or presentation, with the exception of formula object size and changing the format of any text within a formula. For more information on how to change object properties, see the *Calc User Guide*, *Draw User Guide* and *Impress User Guide*. For more information on formula object size and formatting formula text, see **Error! Reference source not found.** in this guide.

The following points will help you select which dialog to use if you want to change the properties of formula objects.

- For formula backgrounds, use the various options in the tabs of the Area dialog.
- For formula borders, use the various options in the Line dialog. Note that formula borders are separate from cell borders in a Calc spreadsheet.
- To accurately re-position a formula object, use the various options in tabs of the Position and Size dialog.
- In Draw and Impress, you can arrange, align, group, flip, convert, break, combine, and edit points of formula objects.
- You cannot change the text attributes of a formula object. The text used in a formula is set when you create the formula in the Formula Editor.
- Formula object size is set by the formula font size when the formula is created in the Formula Editor. The formula object size is protected in the Position and Size dialog, but this can be deselected if you so wish. However, this is not recommended as resizing a formula object using the Position and Size dialog could lead to distortion of a formula making it difficult to read.

Formulas in charts

A chart in a Calc spreadsheet is itself an OLE object, therefore, you cannot use the Formula Editor to create and insert a formula into a chart.

To insert a formula into a chart, create the formula first using the Formula Editor and copy the formula to the clipboard. You then create your chart in Calc and paste the formula into your chart. The formula is automatically converted into the correct format for insertion into a chart.

If you want to change the formula at a later date, then you must repeat the whole process of creating, copying, and pasting.

Customization

This section explains how you can customize LibreOffice Math to suit the way you create formulas for use in LibreOffice documents. Also, refer to the Getting Started Guide for information on how to customize LibreOffice.

Chemical Formulas

The primary purpose of Math is to create mathematical formulas, but it can also be used to write chemical formulas. However, in chemical formulas, the chemical symbols are normally written in uppercase using non-italic characters. The following table shows some examples of chemical formulas.

Construction	Example	Markup Language
Molecules	H_2SO_4	<code>H_2 SO_4</code>
Isotopes	$^{238}_{92}U$	<code>U lsub 92 lsup 238</code>
Ions	SO_4^{2-} or SO_4^{2-}	<code>SO_4^{2-}</code> or <code>SO_4^{2-}</code>

To create chemical formulas using Math, you have to change the font used for variables to a non-italic font. For more information on how to change fonts in a formula, see **Error! Reference source not found.**

For reversible reactions in chemical formulas, there is no symbol you can use for a double arrow in Math. If you have a font available with correct symbols for use in chemical formulas, then you can add these symbols to the Catalog. See “**Error! Reference source not found.**” on page **Error! Bookmark not defined.** for more information on how to add symbols to the Catalog.

Floating dialogs

The Formula Editor and Elements Dock can cover a large part of your document. To help create more space and/or allow you to move either the Formula Editor or Elements Dock out of the way, you turn both of them into floating dialogs.

- 1) Position the cursor on the frame.
- 2) Hold down the *Ctrl* key and double-click. This turns the Formula Editor into the Commands dialog (Figure 16) and the Elements Dock into the Elements Dock dialog (Figure 17 next page).




Figure 16: Commands dialog




Figure 17: Elements dialog

To return the Commands dialog and Elements Dock dialog back to their default positions:

- 1) Position the cursor on the frame of the dialog, NOT the title bar at the top of the of the dialog.
- 2) Hold down the *Ctrl* key and double-click.

Adding keyboard shortcuts

You can add keyboard shortcuts to LibreOffice to make creating documents much easier and to match your workflow. Below is an example of how to add a keyboard shortcut for inserting a Math formula into a LibreOffice document.



Note

When selecting new keyboards shortcuts, make sure that you do not select a keyboard shortcut that is already in use by LibreOffice or your computer system. For example, the keyboard combination *Shift+Ctrl+F2* in Calc moves the cursor to the input line where you can enter a Calc formula in the selected cell, **NOT** a Math formula.

Example keyboard shortcut

- 1) Go to **Tools > Customize on the main menu bar to open the Customize dialog** (Figure 18 next page).
- 2) Click on the **Keyboard** tab to access the options available for adding keyboard shortcuts.
- 3) Select the level of the new keyboard shortcut.
 - Select *LibreOffice* so that the new keyboard shortcut can be used in all modules of LibreOffice.
 - Select *Math* to use the new keyboard shortcut in Math only.
- 4) In the **Category** list, select *Insert*.
- 5) In the **Function** list, select *Import Formula*.
- 6) In the **Shortcut Keys** list, select the key or keyboard combination that you want to use for your new keyboard shortcut.
- 7) Click **Modify** and your keyboard shortcut will appear in the **Keys** list.
- 8) **If necessary, continue to add keyboard shortcuts using the above steps.**
- 9) Click **OK** to save your keyboard shortcuts and close the Customize dialog.




Figure 18:

Customize dialog – Keyboard tab

Keyboard customize options

The options for customizing keyboard shortcuts are as follows:

- **LibreOffice** – displays shortcut keys that are common to all LibreOffice modules.
- **Math, Writer, Calc, Draw, or Impress** – displays the keyboard shortcuts for the open and current LibreOffice module.
- **Shortcut Keys** – lists the shortcut keys and the associated commands. To assign or modify the shortcut key for the command selected in the *Function* list, click a shortcut in this list, and then click **Modify**.
- **Functions** – type function name in the text field for search it in Function list.
- **Function** – lists the function categories and the LibreOffice functions that you can assign shortcut keys to.
 - **Category** – lists the available function categories.
 - **Function** – select a function that you want to assign a shortcut key to, select a key combination in the Shortcut Keys list, and then click Modify. If the selected function already has a shortcut key, it is displayed in the Keys list.
 - **Keys** – displays the shortcut keys that are assigned to the selected function.
- **Modify** – assigns the key combination selected in the Shortcut Keys list to the command selected in the Function list.
- **Delete** – deletes the selected element or elements without requiring confirmation.

- Load – replaces the shortcut key configuration with one that was previously saved.
- Save – saves the current shortcut key configuration, so that you can load it later.
- Reset – resets modified values back to the default values.

Catalog customization

If you regularly use a symbol that is not available in Math, you can add it to the Symbols dialog (Figure 19) by opening the Edit Symbols dialog (Figure 20).

Using the Edit Symbols dialog you can add symbols to a symbol set, edit symbol sets, or modify symbol notations. You can also define new symbol sets, assign names to symbols, or modify existing symbol sets.

Adding symbols

- 1) Go to **Tools > Symbols** on the main menu bar or click on the Symbols icon  in the Tools toolbar to open the Symbols dialog (Figure 19).




Figure 19: Symbol dialog

- 2) Click the **Edit** button to open Edit Symbols dialog (Figure 20 next page).
- 3) Select a font from the Font: drop-down list.
- 4) Select a symbol character that you want to add from the preview box. You may have to scroll down in the preview box to locate the symbol you want to use. The right preview box above the Add button displays the new symbol.
- 5) In the Symbol: box, type a memorable name for the symbol you are adding.
- 6) In the Symbol set: box, select a symbol set from the drop-down list to add your new symbol to, or type a new name to create a new symbol set for your new symbol.
- 7) If required, select a font style from the Style: drop-down list – Standard, Italic, Bold, or Bold Italic.
- 8) Click Add, then click OK to close the Edit Symbols dialog. The new symbol and, if created, new symbol set are now available for use.




Figure 20: The Edit Symbols dialog



Note

When a new symbol is added to the catalog, you can type a percentage sign (%) followed by the new name into the markup language in the Formula Editor and your new symbol will appear in your formula. Remember that symbol names are case sensitive, for example, %prime is a different symbol to %Prime.



Note

There are numerous free fonts available that contain several symbols if you cannot find a symbol to use in the fonts already installed on your computer. For example, the STIX font was developed specially for writing mathematical and technical texts. Also, the DejaVu and Lucida fonts have a wide range of symbols that you can use.



Note

When LibreOffice is installed on a computer, only those user-defined symbols that actually occur in the document are stored with it. Sometimes it is useful to embed all the user-defined symbols, so that when the document is transferred to another computer it can be edited by another person. Go to **Tools > Options > LibreOffice Math > Settings**, uncheck the option *Embed only used symbols (smaller file size)*. This setting is only available when you are working with LibreOffice Math.

Editing symbols

Modifying symbol names

You can change the name of a symbol as follows:

- 1) Select the symbol name you want to change from the Old symbol: drop-down list. The symbol appears in the left preview pane at the bottom of the Edit Symbols dialog (Figure 20).
- 2) Type a new name for the symbol in the Symbol: text box, or select a new name from the Symbol: drop-down list. The new symbol name appears above the right preview pane at the bottom of the Edit Symbols dialog.
- 3) Click Modify and the symbol name is changed.
- 4) Click OK to close the Edit Symbols dialog.

Moving symbols

You can move a symbol from one symbol set to another as follows:

- 1) In the Old symbol set: drop-down list, select the symbol set where the symbol you want to move is located.
- 2) Select the symbol name you want move from the Old symbol: drop-down list. The symbol appears in the left preview pane at the bottom of the Edit Symbols dialog (Figure 20).
- 3) In the Symbol set: drop-down list, select the symbol set that you want to move the symbol to. The new symbol set name appears below the right preview pane at the bottom of the Edit Symbols dialog.
- 4) Click Modify and the symbol is moved to the new symbol set.
- 5) Click OK to close the Edit Symbols dialog.

Deleting symbols

You can delete a symbol from a symbol set as follows:

- 1) In the Old symbol set: drop-down list, select the symbol set from which you want to delete the symbol.
- 2) Select the symbol name you want delete from the Old symbol: drop-down list. The symbol appears in the left preview pane at the bottom of the Edit Symbols dialog (Figure 20).
- 3) Click Delete and the symbol is deleted from the symbol set without any confirmation.
- 4) Click OK to close the Edit Symbols dialog.



Note

The only way you can delete a symbol set is by deleting all of the symbols in that set. When you delete the last symbol from a set, the set is also deleted.

Options for editing symbols

- Old symbol – select the name of the current symbol. The symbol, the name of the symbol, and the set that the symbol belongs to are displayed in the left preview pane at the bottom of the Edit Symbols dialog.
- Old symbol set – this list box contains the name of the current symbol set. You can also select a different symbol set using this list box.
- Symbol – lists the names for the symbols in the current symbol set. Select a name from the list or type a name for a newly added symbol.
- Symbol set – this list box contains the names of all existing symbol sets. You can modify a symbol set or create a new one.
- Font – displays the name of the current font and enables you to select a different font.
- Subset – if you selected a non-symbol font in the Font list box, you can select a Unicode subset in which to place your new or edited symbol. When a subset has been selected, all symbols belonging to this subset of the current symbol set are displayed in the Symbol list.
- Style – the current style of font is displayed. You can change the font style by selecting one from the list box.
- Add – click this button to add the symbol shown in the right preview window to the current symbol set. It will be saved under the name displayed in the Symbol list. You must specify a name under Symbol or Symbol set to be able to use the Add button. Names cannot be used more than once.
- Modify – click this button to replace the name of the symbol shown in the left preview window (the old name is displayed in the Old symbol list) with the new name you have entered in the Symbol list.
- Delete – click this button to remove the symbol shown in the left preview window from the current symbol set. There will be confirmation of deletion. Deleting the last remaining symbol of a symbol set also deletes the symbol set.
- Cancel – click this button at any time to close the dialog without saving any of the changes.

Formula spacing

The grave accent (``) inserts an additional small space and the tilde (~) inserts an additional large space into formulas. However, in the basic installation of LibreOffice, these symbols are ignored when they occur at the end of a formula. If you are working with running text in a formula, it may be necessary to include spacing at the end of formulas as well. This customization is only required when you are working with a Math document and is not required when you are inserting a formula into another LibreOffice module.

To add spacing at the end of formula in Math, go to Tools > Options > LibreOffice Math > Settings on the main menu bar and uncheck Ignore ~ and `` at the end of the line in the Miscellaneous Options section.

Extensions

If you *create formulas* frequently in your documents, you can customize LibreOffice by adding extensions that are designed to help you create formulas. Extensions are easily installed using the Extension Manager. For more information on how to install extensions, see the Getting Started Guide.

One extension that is recommended for installation is Dmaths. This extension is designed for use in Writer and adds a mathematical macro package providing five toolbars for creating formulas. For more information on this extension, go to the website <http://www.dmaths.org>.

Second extension that is recommended for installation is **Formatting of All Math Formulas**. It allows to format all Math formulas in your Writer, Calc, Draw or Impress document. You'll can

change font and font size for all formulas or only for selected formulas. For more information on this extension go to <https://extensions.libreoffice.org/extensions/formatting-of-all-math-formulas>.

Exporting and Importing

Math ML format

In addition to exporting documents as PDFs, as described in the Getting Started Guide, LibreOffice offers the possibility of exporting formulas in the MathML format. This allows you or another person to insert formulas into documents that were created in other software, for example, Microsoft Office or an internet browser.



Note

Some internet browsers do not fully support the MathML format and your formula may not display correctly.

If you are working on a Math document, go to **File > Save as** on the main menu bar or use the keyboard combination **Ctrl+Shift+S** to open the Save as dialog. Select MathML from the list of available file formats in File type: to save your formula as MathML.

If you are working in another LibreOffice module, right-click on the formula object and select **Save copy as** from the context menu to open the Save as dialog. Select MathML from the list of available file formats in File type: to save your formula object as MathML.

In the Math you can import MathML formula also. Use main menu **Tools > Import MathML from clipboard** for this.

Microsoft file formats

To control how formulas in Microsoft format are imported and exported using LibreOffice, go to **Tools > Options > Load/Save > Microsoft Office** on the main menu bar and select or deselect the options for MathType to LibreOffice Math or reverse.

- *[L]: Load and convert the object*
- *[S]: Convert and save the object*

[L]: Load and convert the object

Select this option if Microsoft OLE objects are to be converted into the specified LibreOffice OLE object when a Microsoft document is opened in LibreOffice. For formulas, any embedded MathType objects must not exceed the MathType 3.1 specifications to be successfully loaded and converted. Information on MathType format can be found on the website <http://www.dessci.com/en>.

If a document containing OMML formulas has been saved in .docx format and then converted to the older .doc format, then any OMML objects are converted into graphics, which will be displayed in LibreOffice as graphics.

[S]: Convert and save the object

Select this option if LibreOffice OLE objects are to be converted and saved in Microsoft file format. LibreOffice converts any formulas into a format that can be read and modified by Microsoft Equation Editor and MathType.

When this option is not selected, the formula is treated as an OLE object on conversion into a .doc format and remains linked to LibreOffice. A double-click on the object in Microsoft Office will attempt to launch LibreOffice.