

Author Index

- Abdul Hamid, S.B., see Ivanova, I.I. 454
- Adang, A.E.P., P.H.H. Hermkens, J.T.M. Linders, H.C.J. Ottenheijm and C.J. van Staveren
Case histories of peptidomimetics: progression from peptides to drugs 63
- Altink, R., B. van Arkel, J.L. van der Baan, S. Balt, M.W.G. de Bolster, R.J. van Delft, G.W. Klumpp, H. de Koning and Y. van den Winkel
A new model for coenzyme B₁₂ based on a Costa-type ligand 329
- Altona, C., see Ippel, J.H. 99
- Ando, R., see Nishimi, T. 201
- Antkowiak, R., see Kubicki, M. 383
- Antkowiak, W.Z., see Kubicki, M. 383
- Arbuzova, S.N., L. Brandsma, N.K. Gusarova and B.A. Trofimov
t-Butyl alcohol-assisted fission of the P-P bonds in red phosphorus with lithium in liquid ammonia. A convenient preparative method for dialkylphosphanes 113 (1994) 575
- Arkel, B. van, see Altink, R. 329
- Asaad, F.M., see Mishriky, N. 35
- Asselt, R. van, C.J. Elsevier, W.J.J. Smeets, A.L. Spek and R. Benedix
Synthesis and characterization of rigid bidentate nitrogen ligands and some examples of coordination to divalent palladium. X-ray crystal structures of bis(*p*-tolylimino)acenaphthene and methylchloro[bis(*o,o'*-diisopropylphenyl-imino)acenaphthene]palladium(II) 88
- Aubry, A., see Kamphuis, J. 29
- Baan, J.L. van der, see Altink, R. 329
- Baart, J., see Cappon, J.J. 318
- Baerns, M., see Buyevskaya, O. 459
- Bakker, B.H., see Cerfontain, H. 403
- Bakker, B.H., see Cerfontain, H. 517
- Balt, S., see Altink, R. 329
- Balt, S., see Gerards, L.E.H. 137
- Bayeul, D., see Kamphuis, J. 29
- Bekkum, H. van, see Besemer, A.C. 398
- Bekkum, H. van, see Huskens, J. 488
- Bekkum, H. van, see Jansen, R.J.J. 115
- Benedix, R., see van Asselt, R. 88
- Berg, O. van den, see Valentijn, A.R.P.M. 563
- Bergier, T., K. Brückman and J. Haber
Vanadium in cationic and anionic positions as a promoter of 12-molybdophosphoric-acid-based catalysts 475
- Besemer, A.C. and H. van Bekkum
The hypochlorite oxidation of inulin 398
- Beutel, T., B.L. Moroz and H. Knözinger
Adsorption of biacetyl on Rh/SiO₂ catalysts: an FTIR study 448
- Bickelhaupt, F., see Goede, S.J. 278
- Bickelhaupt, F., see Wijsman, G.W. 53
- Block, J.H., V.V. Gorodetskii and W. Drachsel
Direct imaging of catalytic surface reactions in the field-ion microscope: the oxidation of hydrogen on platinum 444
- Bloemhoff, W., see Wijkman, J.C.H.M. 394
- Blom, N., see Ivanova, I.I. 454
- Boeckel, C.A.A. van, see Broek, L.A.G.M. van den 507
- Boeff, R., see Groesbeek, M. 45
- Boesten, W.H.J., see Kamphuis, J. 29
- Bolster, M.W.G. de, see Altink, R. 329
- Bonora, G.M., see Kamphuis, J. 29
- Boogaarts, M.G.H., see Holleman, I. 543
- Boom, J.H. van, see Kuyl-Yeheskiely, E. 40
- Boom, J.H. van, see Valentijn, A.R.P.M. 563
- Boom, J.H. van, see Wijkman, J.C.H.M. 394
- Borowiak, T., see Kubicki, M. 383
- Brandsma, L., see Arbuzova, S.N. 113 (1994) 575
- Breslow, R.
The chelate effect in binding, catalysis, and chemotherapy 493
- Broek, L.A.G.M. van den, D.J. Vermaas, F.J. van Kemenade, M.C.C.A. Tan, F.T.M. Rotteveel, P. Zandberg, T.D. Butters, F. Miedema, H.L. Ploegh and C.A.A. van Boeckel
Synthesis of oxygen-substituted N-alkyl 1-deoxynojirimycin derivatives: aza sugar α -glucosidase inhibitors showing antiviral (HIV-1) and immunosuppressive activity 507
- Broun, L.F., see Pas, J.C. van de 231
- Brückman, K., see Bergier, T. 475
- Butters, T.D., see Broek, L.A.G.M. van den 507
- Buyevskaya, O., D. Wolf and M. Baerns
Surface processes in the catalytic oxidative coupling of methane to ethane 459
- Buytenhek, C.J., see Pas, J.C. van de 231
- Cappon, J.J., K.D. Witters, J. Baart, P.J.E. Verdegem, A.C. Hoek, R.J.H. Luiten, J. Raap and J. Lugtenburg
Synthesis of L-histidine specifically labelled with stable isotopes 318
- Carley, A.F., see Simons, K.E. 465
- Cerfontain, H., A. Koeberg-Telder, E. Vogel and O. Wilmes
Dimethylsulfonyl- and sulfo-de-hydrogenation on reaction of azuleno[2,1,8-*ija*]azulene (isopyrene) with the dimethyl sulfoxide-sulfur trioxide complex as reagent 288
- Cerfontain, H., Y. Zou and B.H. Bakker
On the positional reactivity order in the sulfonation of phenyl- and naphthyl-substituted naphthalenes with SO₃ 517
- Cerfontain, H., Y. Zou and B.H. Bakker
The positional reactivity order in the sulfur trioxide sulfonation of benzene and naphthalene derivatives containing an electron-withdrawing substituent 403
- Chittenden, G.J.F., see Raaijmakers, H.W.C. 79
- Chruscicki, H., see Kubicki, M. 383
- Chupin, V., S. Smirnova and B. de Kruijff
Synthesis and polymorphism of deuterium labeled unsaturated monogalactosyl diglyceride as studied by ²H NMR 237
- Cohen, L.H., see Valentijn, A.R.P.M. 563
- Crisma, M., see Kamphuis, J. 29
- Dam, M.A., see Goede, S.J. 278
- Damen, M., see Esch, J.H. van 186
- Dautant, A., see Kamphuis, J. 29
- Declercq, J.-P., see De Kimpe, N. 283
- Delft, R.J. van, see Altink, R. 329
- Derouane, E.G., see Ivanova, I.I. 454
- Dongen, J.L.J. van, see Miesen, F.W.A.M. 307
- Doren, H.A. van and L.M. Wingert
The relationship between the molecular structure of polyhydroxy amphiphiles and their aggregation behaviour in water. I. The contact preparation method as a tool for empirical studies 260
- Drachsel, W., see Block, J.H. 444
- Drenth, W., see Kuil, L.A. van de 267
- van Dijk, M., see Schrijvers, R. 351
- Elsevier, C.J., see Asselt, R. van 88
- Engberts, J.B.F.N., see Overmars, F.J.J. 293
- Engberts, J.B.F.N., see Pestman, J.M. 111 (1994) 533
- Engberts, J.B.F.N., see Wang, G.-J. 390
- Esch, J.H. van, M. Damen, M.C. Feiters and R.J.M. Nolte
Aggregation behaviour and copper-binding properties of surfactants containing imidazole and pyrazole ligands 186
- Esmeijer, R., see Liemt, W.B.S. van 153
- Feiters, M.C., see Sommerdijk, N.A.J.M. 194
- Feiters, M.C., see Esch, J.H. van 186
- Feringa, B.L., see Schoondorp, M.A. 250
- Festag, R., V. Hessel, P. Lehmann, H. Ringsdorf and J.H. Wendorff
Micellar and lyotropic behavior of three isomeric bola-amphiphiles with pyridinium groups 222
- Formaggio, F., see Kamphuis, J. 29
- Gankema, H., M.A. Hempenius and M. Möller
Methacrylate resin membranes by Gel-Template-Leaching: concept and scope 241
- Gen, A. van der, see Otten, P.A. 499
- Gerards, L.E.H. and S. Balt
Acid-induced decomposition of coenzyme B₁₂ and variants 137
- Girgis, A.S., see Mishriky, N. 35
- Gloor, A.P. and R. Prins
Influence of chlorine and metal cation impurities in the CO hydrogenation over Pd/SiO₂ and Rh/SiO₂ 481
- Goede, S.J., M.A. Dam and F. Bickelhaupt
C-Halophosphalkenes: probing the range of stability and reactivity towards bromine 278
- Gorodetskii, V.V., see Block, J.H. 444
- Graauw, C.F. de, see Huskens, J. 488
- Griffiths, S.P., see Simons, K.E. 465

- Groesbeek, M., Y.G. Kirillova, R. Boeff and J. Lugtenburg
Synthesis of six novel retinals and their interaction with bacterioopsin 45
- Groesbeek, M., see Ippel, J.H. 99
- Grove, D.M., see Kuil, L.A. van de 267
- Gusarova, N.K., see Arbuzova, S.N.113 (1994) 575
- Haber, J., see Bergier, T. 475
- Hayashida, O., see Kikuchi, J.-i. 216
- Hayashida, O., see Murakami, Y. 209
- Hempenius, M.A., see Gankema, H. 241
- Hermkens, P.H.H., see Adang, A.E.P. 63
- Hessel, V., see Festag, R. 222
- Hiemstra, H., see Rutjes, F.P.J.T. 145
- Hoek, A.C., see Cappon, J.J. 318
- Holleman, I., M.G.H. Boogaarts and G. Meijer
Endohedral fullerene research 543
- Hulshof, J.B.E., see Schoondorp, M.A. 250
- Hulshof, L.A., see Poelert, M.A. 355
- Hulshof, L.A., see Poelert, M.A. 365
- Huskens, J., C.F. de Graauw, J.A. Peters and H. van Bekkum
Chiral induction in lanthanide(III)-alkoxide-catalysed Meerwein-Ponndorf-Verley reductions 488
- Ibbotson, A., see Simons, K.E. 465
- Ibrahim, Y.A., see Mishriky, N. 35
- Inada, M., see Kikuchi, J.-i. 216
- Ippel, J.H., M.B. Spijker-Assink, M. Groesbeek, R. van der Steen, C. Altona and J. Lugtenburg
Conformational analysis of all-*E*-retinal, all-*E*-8,16-methanoretinal, (1*S*)-all-*E*-8,16-methano-18-norretinal, and all-*E*-17,18-dinor-8,16-methanoretinal by means of NMR spectroscopy and molecular dynamics 99
- Ishikawa, Y., see Nishimi, T. 201
- Ivanova, I.I., N. Blom, S.B. Abdul Hamid and E.G. Derouane
The effect of propane activation over Ga-modified H-ZS M-5 catalysts 454
- Jansen, F.J.H.M., M. Kwestro, D. Schmitt and J. Lugtenburg
Synthesis and characterization of all-*E* (12,12'-¹³C₂)-, (13,13'-¹³C₂)-, (14,14'-¹³C₂)-, (15,15'-¹³C₂)- and (20,20'-¹³C₂)astaxanthin 552
- Jansen, R.J.J., H.M. van Veldhuizen, M.A. Schwegler and H. van Bekkum
Recent (1987-1993) developments in heteropolyacid catalysts in acid catalyzed reactions and oxidation catalysis 115
- Jastrzebski, J.T.B.H., see Maanen, H.L. van 567
- Jenneskens, L.W., see Kuil, L.A. van de 267
- Jong, F. de, see Pestman, J.M.111 (1994) 533
- Johnston, P., see Simons, K.E. 465
- Kamphuis, J., W.H.J. Boesten, H.E. Schoemaker, A. Aubry, D. Bayeul, A. Dautant, M. Pantano, F. Formaggio, M. Crisma, G.M. Bonora and C. Toniolo
Peptides from chiral C^α-disubstituted glycines. Synthesis and conformational analysis of homochiral (αMe)Leu/Ala model peptides 29
- Karaborni, S., see van Os, N.M. 181
- Kellogg, R.M., see Poelert, M.A. 355
- Kellogg, R.M., see Poelert, M.A. 365
- Kemenade, F.J. van, see Broek, L.A.G.M. van den 507
- Kikuchi, J.-i., M. Inada, H. Miura, K. Suehiro, O. Hayashida and Y. Murakami
Steroid cyclophanes as artificial receptors embedded in synthetic bilayer membranes: aggregation behavior and molecular recognition 216
- Kimpe, N. De, D. De Smaele, E. Stanoeva, B. Tinant and J.-P. Declercq
Synthesis of 4-imidazolin-2-ones from α-bromo ketimines 283
- Kirillova, Y.G., see Groesbeek, M. 45
- Kishimba, M.A. and B. Zwanenburg
Synthesis of carba-strigol analogues 21
- Kleijn, H., see van Maanen, H.L. 567
- Klumpp, G.W., see Altink, R. 329
- Knor, Z.
Molecular events on metal surfaces. FEM and FIM studies of metals and supported catalysts 439
- Knözinger, H., see Beutel, T. 448
- Koeberg-Telder, A., see Cerfontain, H. 288
- Koning, H. de, see Altink, R. 329
- Koster, R.M., see Pestman, R. 426
- Koten, G. van, see Maanen, H.L. van 567
- Koten, G. van, see Kuil, L.A. van de 267
- Koudijs, A., see Marcelis, A.T.M. 524
- Kruijff, B. de, see Chupin, V. 237
- Kruijtzter, J.A.W., see Wijkman, J.C.H.M. 394
- Kubicki, M., T. Borowiak, R. Antkowiak, W.Z. Antkowiak and H. Chruscicki
Synthesis, NMR and X-ray structural investigation of 5-methoxy-9,10-dihydro-4-azaphenanthrene N-oxide and its free amine 383
- Kuil, L.A. van de, Y.S.J. Veldhuizen, D.M. Grove, J.W. Zwikker, L.W. Jenneskens, W. Drenth, W.J.J. Smeets, A.L. Spek and G. van Koten
Organonickel(II) complexes containing aryl ligands with chiral pyrrolidyl ring systems; syntheses and use as homogeneous catalysts for the Kharasch addition reaction 267
- Kunitake, T., see Nishimi, T. 201
- Kuyl-Yeheskiely, E., N.J. Meeuwenoord, G.A. van der Marel and J.H. van Boom
An expeditious route to methylphosphonate analogues of DNA 40
- Kwestro, M., see Jansen, F.J.H.M. 552
- Leermakers, F.A.M., see Meijer, L.A. 167
- Lehmann, P., see Festag, R. 222
- Liemt, W.B.S. van, W.F. Steggerda, R. Esmeijer and J. Lugtenburg
Synthesis and spectroscopic characterisation of ¹³C-labelled ubiquinone-0 and ubiquinone-10 153
- Linden, J.B. van der, A.C.B. Lucassen and B. Zwanenburg
Synthesis of thiophene-2-phosphonates via α,β-unsaturated sulfines as intermediates 547
- Linders, J.T.M., see Adang, A.E.P. 63
- Liskamp, R.M.J.
Conformationally restricted amino acids and dipeptides, (non)peptidomimetics and secondary structure mimetics 1
- Lucassen, A.C.B., see Linden, J.B. van der 547
- Lugtenburg, J., see Cappon, J.J. 318
- Lugtenburg, J., see Groesbeek, M. 45
- Lugtenburg, J., see Ippel, J.H. 99
- Lugtenburg, J., see Jansen, F.J.H.M. 552
- Lugtenburg, J., see Ogrel, A. 369
- Lugtenburg, J., see Liemt, W.B.S. van 153
- Luiten, R.J.H., see Cappon, J.J. 318
- Lyklema, J., see Meijer, L.A. 167
- Maanen, H.L. van, H. Kleijn, J.T.B.H. Jastrzebski and G. van Koten
The synthesis of 3-alkyl- and 3-aryl-β-lactams from zinc enolates and imines 567
- Marcelis, A.T.M., A. Koudijs and E.J.R. Sudhölter
Odd-even effects in the optical properties of chiral twin liquid-crystalline cholesteryl ω-(cyanobiphenyloxy)alkanoates 524
- Marel, G.A. van der, see Kuyl-Yeheskiely, E. 40
- Marel, G.A. van der, see Valentijn, A.R.P.M. 563
- Marel, G.A. van der, see Wijkman, J.C.H.M. 394
- Meeuwenoord, N.J., see Kuyl-Yeheskiely, E. 40
- Meheux, P.A., see Simons, K.E. 465
- Meijer, E.W., see Miesen, F.W.A.M. 307
- Meijer, G., see Holleman, I. 543
- Meijer, L.A., F.A.M. Leermakers and J. Lyklema
Head-group conformations in lipid bilayer membranes 167
- Menger, F.M. and H. Park
Microemulsions as reaction media. Self-organizing assemblies in an environmental cleanup problem 176
- Mergler, Y.J., D.R.G. Ramsaransing and B.E. Nieuwenhuys
An infrared spectroscopic study of CO and NO adsorption on bimetallic Pd-Rh/SiO₂ catalysts 431
- Miedema, F., see Broek, L.A.G.M. van den 507
- Miesen, F.W.A.M., J.L.J. van Dongen and E.W. Meijer
Synthesis and photochemistry of (2*S*,4*R*)- and (2*R*,4*R*)-1,2,3,4-tetrahydro-4-ethyl-1,1,4-trimethyl-3*Z*-ethylidene-2-naphthalenols 307
- Mishriky, N., F.M. Asaad, Y.A. Ibrahim and A.S. Girgis
New pyridinecarbonitriles from fluoro arylpropenones 35
- Miura, H., see Kikuchi, J.-i. 216
- Möller, M., see Gankema, H. 241
- Moroz, B.L., see Beutel, T. 448
- Murakami, Y., O. Hayashida and Y. Nagai
Hybrid molecular assemblies in combinations of a synthetic peptide lipid with macrocyclic cyclophanes 209
- Murakami, Y., see Kikuchi, J.-i. 216
- Nagai, Y., see Murakami, Y. 209
- Nieuwenhuys, B.E., see Mergler, Y.J. 431
- Nishimi, T., Y. Ishikawa, R. Ando and T. Kunitake
Surface monolayers and aqueous bilayers of single-chain ammonium amphiphiles which contain benzylideneaniline and salicylideneaniline units 201
- Nolte, R.J.M., see Sommerdijk, N.A.J.M. 194
- Nolte, R.J.M., see Esch, J.H. van 186
- Ogrel, A., I.A. Vasilenko, J. Lugtenburg and J. Raap
Enzymatic synthesis of specifically ²H-labelled L-glutamic acids and ²H-, ¹⁵N-, ¹³C-labelled L-glutamates on a preparative scale 369
- Os, N.M. van, B. Smit and S. Karaborni
Models of micelle formation 181
- Ott, M.A., see Rozendaal, E.L.M. van 297
- Otten, P.A. and A. van der Gen
The reaction of α-amino-substituted diphenylphosphine oxide anions with elemental sulfur and selenium. A new route to thio- and selenoamides 499

- Ottenheijm, H.C.J., see Adang, A.E.P. 63
- Overmars, F.J.J., J.B.F.N. Engberts and W.D. Weringa
Synthesis of and vesicle formation from phosphorylcholine amphiphiles with one symmetrically branched alkyl chain 293
- Pantano, M., see Kamphuis, J. 29
- Park, H., see Menger, F.M. 176
- Pas, J.C. van de, C.J. Buytenhek and L.F. Brouwn
The effects of salts and surfactants on the physical stability of lamellar liquid-crystalline systems 231
- Pestman, J.M., J.B.F.N. Engberts and F. de Jong
Sonochemistry: theory and applications 111 (1994) 533
- Pestman, R., R.M. Koster and V. Ponec
Selective hydrogenation of acetic acid towards acetaldehyde 426
- Peters, J.A., see Huskens, J. 488
- Ploegh, H.L., see Broek, L.A.G.M. van den 507
- Poelert, M.A., L.A. Hulshof and R.M. Kellogg
Application of the Mitsunobu reaction to ephedrine and some related amino alcohols. Aspects of intramolecular participation of the amino group 355
- Poelert, M.A., L.A. Hulshof and R.M. Kellogg
Nucleophilic substitutions using *O*-alkyl-*N,N'*-dialkylisoureas. Applications to ephedrine 365
- Ponec, V., see Pestman, R. 426
- Prins, R., see Gloor, A.P. 481
- Raaijmakers, H.W.C., B. Zwanenburg and G.J.F. Chittenden
The synthesis and properties of some long-chain alkyl-D-glucofuranosidurono-6,3-lactones, D-glucofuranosides and derivatives thereof 79
- Raap, J., see Cappon, J.J. 318
- Raap, J., see Ogrel, A. 369
- Rajumon, M.K., see Simons, K.E. 465
- Ramsaransing, D.R.G., see Mergler, Y.J. 431
- Reichwein, A.M., W. Verboom and D.N. Reinhoudt
Enzyme models 343
- Reinhoudt, D.N., see Reichwein, A.M. 343
- Ribeiro, F.H. and G.A. Somorjai
The fabrication of "high-technology" catalysts 419
- Ringsdorf, H., see Festag, R. 222
- Roberts, M.W., see Simons, K.E. 465
- Rottevel, F.T.M., see Broek, L.A.G.M. van den 507
- Rozendaal, E.L.M. van, M.A. Ott and H.W. Scheeren
A LHASA analysis of taxol 297
- Rutjes, F.P.J.T., J.H. Udding, H. Hiemstra and W.N. Speckamp
Synthesis of bicyclic 3-pyrazolidinones via π -cyclization reactions of exocyclic *N*-acylhydrazonium ions 145
- Sanders, G.M., see Schrijvers, R. 351
- Santen, R.A. van
Fano coupling in perturbed solid acid hydroxyls 423
- Scheeren, H.W., see Rozendaal, E.L.M. van 297
- Schmitt, D., see Jansen, F.J.H.M. 552
- Schoemaker, H.E., see Kamphuis, J. 29
- Schoondorp, M.A., A.J. Schouten, J.B.E. Hulshof, E.P. Schudde and B.L. Feringa
Second-harmonic generation from thin films of mixtures of an aggregated chiral 4-nitroazobenzene dye and amylose acetate 250
- Schouten, A.J., see Schoondorp, M.A. 250
- Schrijvers, R., M. van Dijk, G.M. Sanders and E.J.R. Sudhölter
Conformations and rotational barriers of di- and tetraarylporphyrins; a computational and experimental study 351
- Schudde, E.P., see Schoondorp, M.A. 250
- Schwegler, M.A., see Jansen, R.J.J. 115
- Simons, K.E., P.A. Meheux, S.P. Griffiths, I.M. Sutherland, P. Johnston, P.B. Wells, A.F. Carley, M.K. Rajumon, M.W. Roberts and A. Ibbotson
A model for the enantioselective hydrogenation of pyruvate catalysed by alkaloid-modified platinum 465
- Smaele, D. De, see Kimpe, N. De 283
- Smeets, W.J.J., see Asselt, R. van 88
- Smeets, W.J.J., see Kuil, L.A. van de 267
- Smirnova, S., see Chupin, V. 237
- Smit, B., see Os, N.M. van 181
- Sommerdijk, N.A.J.M., M.C. Feiters, R.J.M. Nolte and B. Zwanenburg
Aggregation behaviour of a phospholipid based on D-(+)-threitol 194
- Somorjai, G.A., see Ribeiro, F.H. 419
- Speckamp, W.N., see Rutjes, F.P.J.T. 145
- Spek, A.L., see Asselt, R. van 88
- Spek, A.L., see Kuil, L.A. van de 267
- Spijker-Assink, M.B., see Ippel, J.H. 99
- Stanoeva, E., see Kimpe, N. De 283
- Staveren, C.J. van, see Adang, A.E.P. 63
- Steen, R. van der, see Ippel, J.H. 99
- Steggerda, W.F., see Liemt, W.B.S. van 153
- Sudhölter, E.J.R., see Marcelis, A.T.M. 524
- Sudhölter, E.J.R., see Schrijvers, R. 351
- Suehiro, K., see Kikuchi, J.-i. 216
- Sutherland, I.M., see Simons, K.E. 465
- Tan, M.C.C.A., see Broek, L.A.G.M. van den 507
- Tinant, B., see Kimpe, N. De 283
- Toniolo, C., see Kamphuis, J. van den 29
- Trofimov, B.A., see Arbuzova, S.N. 113 (1994) 575
- Udding, J.H., see Rutjes, F.P.J.T. 145
- Valentijn, A.R.P.M., O. van den Berg, G.A. van der Marel, L.H. Cohen and J.H. van Boom
A novel approach towards the synthesis of pyrophosphate analogues of farnesyl pyrophosphate 563
- Vasilenko, I.A., see Ogrel, A. 369
- Veldhuizen, Y.S.J., see Kuil, L.A. van de 267
- Veldhuizen, H.M. van, see Jansen, R.J.J. 115
- Verboom, W., see Reichwein, A.M. 343
- Verdegem, P.J.E., see Cappon, J.J. 318
- Vermaas, D.J., see Broek, L.A.G.M. van den 507
- Vogel, E., see Cerfontain, H. 288
- Wang, G.-J. and J.B.F.N. Engberts
390
- Wells, P.B., see Simons, K.E. 465
- Wendorff, J.H., see Festag, R. 222
- Weringa, W.D., see Overmars, F.J.J. 293
- Winkel, Y. van den, see Altink, R. 329
- Wijkman, J.C.H.M., J.A.W. Kruijtz, G.A. van der Marel, J.H. van Boom and W. Bloemhoff
CF₃-BOP, CF₃-PyBOP and CF₃-HBTU: New peptide coupling reagents specially suited for α -aminoisobutyric acid condensations 394
- Wijsman, G.W., W.H. de Wolf and F. Bickelhaupt
A stereospecific anionic reduction of *gem*-bromohalocyclopropanes by the dimsyl anion 53
- Wilmes, O., see Cerfontain, H. 288
- Wingert, L.M., see Doren, H.A. van 260
- Witters, K.D., see Cappon, J.J. 318
- Wolf, W.H. de, see Wijsman, G.W. 53
- Wolf, D., see Buyevskaya, O. 459
- Zandberg, P., see Broek, L.A.G.M. van den 507
- Zou, Y., see Cerfontain, H. 403
- Zou, Y., see Cerfontain, H. 517
- Zwanenburg, B., see Kishimba, M.A. 21
- Zwanenburg, B., see Raaijmakers, H.W.C. 79
- Zwanenburg, B., see Sommerdijk, N.A.J.M. 194
- Zwanenburg, B., see Linden, J.B. van der 547
- Zwikker, J.W., see Kuil, L.A. van de 267

Subject Index

- absorption spectra**, see UV
- acenaphthene-1,2-diimines**, Pd complexes, 88
- acetaldehyde**, from hydrogenation of acetic acid, 427
- acetic acid**, hydrogenation to acetaldehyde, 426; reduction to acetaldehyde over metal oxides, thesis, 578
- acetophenones**, chiral-Ln-catalyzed MPV reduction, 488; for 3-pyridinecarbonitriles, 35
- acid catalysis**, heteropolyacids, review, 115; in decomposition of coenzyme B₁₂, 137
- acroleins**, hydrogenation over metal catalysts, thesis, 577
- active sites**, see catalysis
- acylamidrazone**, Cu complex, thesis, 416
- N-acylhydrazonium ions**, for bicyclic 3-pyrazolidinones, 145
- adenine**, for methylphosphonate analogues, 40
- adenosine, 5'-dexoy**, acid-induced decomposition, 137
- adocobinamide**, acid-induced decomposition, 137
- adrenocorticotrophic hormone**, peptidomimetics, review, 63
- adsorption**, on Pt in enantioselective hydrogenation of pyruvate, 465
- aggregation**, bola-amphiphiles with pyridinium headgroup, 222; D-(-)-threitol phospholipid, 194; nitroazobenzene dye + amylose acetate, thin films, SHG, 250; polyhydroxy amphiphiles, 260; steroid cyclophanes in bilayer membranes, 216; surfactants with imidazole and pyrazole ligands, 186
- L-alanine**, in assemblies of peptide lipids and macrocyclic cyclophanes, 209
- aldehydes**, from hydrogenation of carboxylic acids, 427; hydrogenation of α,β -unsatd. - over metal catalysts, thesis, 577
- ALE**, see Atomic-layer epitaxy
- alicyclic compounds**, Rodd's chemistry of carbon compounds, 2nd suppl., Vol.2, book, 112
- aliphatic compounds**, Rodd's chemistry of carbon compounds, 2nd suppl., Vol.2, book, 112
- alkaloids**, modifying platinum as catalyst in enantioselective hydrogenation of pyruvate, 465
- 3-(1-alkenyl)cephalosporins**, 305
- allenephosphonates, 1-silyl**, for thiophene-2-phosphonates, 547
- allylammonium**, poly(alkylmethylid-) bromides, fluorescence, 390
- allylsilanes**, for bicyclic 3-pyrazolidinones, 145
- L- α -amino acids**, stable-isotope-labeled, thesis, 111
- amino acids**, α -disubstituted glycine, 29; assemblies of peptide lipids and macrocyclic cyclophanes, 209; conformationally restricted, review, 1; in steroid cyclophanes in bilayer membranes, 216; peptide condensation, 394; peptidomimetics, review, 63; restricted, review, 1
- α -aminobutanoic acid**, peptide condensation, 394
- ammonium amphiphiles**, monolayers, 201
- amphiphiles**, bola- with pyridinium headgroup, 222; monolayers, 201; phosphorylcholine, 293; polyhydroxy, aggregation, 260; self-organizing assemblies, special issue, 167-265
- amylose acetate**, + azo dye, thin films, SHG, 250
- angiotensin**, peptidomimetics, review, 63
- anionic surfactants**, 2-(long-alkyl)propanediyl bis(sodium sulfates), 163
- anti-cancer agent**, taxol, 297
- antiviral activity**, 1-deoxynojirimycin derivs., 507
- arenes**, thermolysis, thesis, 111
- arylpropenones**, for 3-pyridinecarbonitriles, 35
- L-aspartate**, in steroid cyclophanes in bilayer membranes, 216
- assemblies, self-organizing**, lipids, 167; peptide lipids and macrocyclic cyclophanes, 209; special issue, 167-265
- astaxanthin**, labeled, 552
- asymmetric synthesis**, natural products, book, 380
- atom-transfer cyclization**, to N and O heterocycles via captodative radicals, thesis, 379
- Atomic-layer epitaxy (ALE)**, for high-technology catalysis, review, 419
- aza sugar**, 1-deoxynojirimycin derivs., biosynthesis, 507
- 4-azaphenanthrene**, deriv., 383
- azetidin-2-ones (β -lactams)**, 3-subst., from Zn enolates and imines, 567
- aziridinium ions**, in nucleophilic substitution of ephedrine, 355, 365
- azo dye (KMES16)**, + amylose acetate, thin films, SHG, 250
- azuleno[2,1,8,ija]azulene (isopyrene)**, sulfonation in DMSO, 288
- bacteriorhodopsins**, retinals, 45, 99
- benzenes**, sulfonation, reactivity order, 403
- benzotriazol-1-ol**, 6-(trifluoromethyl), peptide coupling reagent, 394
- benzo[h]quinoline**, deriv., 383
- benzylideneaniline amphiphiles**, monolayers, 201
- biacetyl**, adsorption on Rh/SiO₂; FTIR, 448
- 3-bicyclic pyrazolidinones**, from N-acylhydrazonium ions, 145
- bidentate ligands**, rigid, contg. N, 88
- bilayer vesicles**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; galactosyl diglyceride, deuterium labeled, 237; head-groups conformation, 167; phosphorylcholine amphiphiles, 293; self-organizing assemblies, special issue, 167-265; single-chain ammonium amphiphiles, 201; steroid cyclophanes, 216; surfactants with imidazole and pyrazole ligands, 186
- binaphthalenes**, phenyl- and naphthyl-subst., sulfonation, 517
- binding**, chelate effect, review, 493
- biocatalysis**, in non-conventional media, book, 114
- biosynthesis**, 1-deoxynojirimycin derivs., 507
- bola-amphiphiles**, with pyridinium headgroup, 222
- book reviews**, see books
- books**, biocatalysis in non-conventional media, 114; catalytic selective oxidation, 380; chemistry of fragrant substances, 381; chronicles of drug discovery, 381; free radicals, introduction, 342; natural products, asymmetric synthesis, 380; organic peroxides, 342; organophosphorus compounds, 382; oxygenates by homologation or CO hydrogenation, 418; physical organic chemistry, 113; physicochemical properties of surfactants, 113; progress in inorganic chemistry, 531; reaction steps in heterogeneous catalysis, 114; Rodd's chemistry of carbon compounds, 2nd suppl., Vol.1, 112; Rodd's chemistry of carbon compounds, 2nd suppl., Vol.2, 112; shaped crystal growth; fluid mechanics, 417; shikimic acid, metabolism, 417; ylides and imines of phosphorus, 382
- BOP, CF₃-**, peptide coupling reagent, 394
- borohydrate reduction**, to glucofuranosidurono-6,3-lactones, 79
- branched poly(propyleneimine)**, ¹⁵N NMR, 573
- bromate oxidation**, α -D-glucopyranoside catalyzed by Ru complex, 411
- α -bromo ketimines**, for 4-imidazolin-2-ones, 283
- gem-bromohalocyclopropanes**, reduction by dimsyl anion, 53
- bubbles**, sonochemistry, review, 533
- 2,3-butanedione**, adsorption on Rh/SiO₂; FTIR, 448
- butane**, oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475
- tert-butoxide**, acceleration of organolithium alkylation, 529
- C₆₀**, endohedral, trend, 543
- cage-type cyclophanes**, assemblies with peptide lipids, 209
- calcium**, sequestering by dicarboxy-inulin, 398; tolerance for 2-(long-alkyl)propanediyl bis(sodium sulfates), surfactants, 163
- cancer therapy**, chelate effect, review, 493
- CAOS**, see Computer-Assisted Organic Synthesis
- captodative radicals**, in cyclization to N and O heterocycles, thesis, 379
- carba-strigols**, 21
- carbaldehydes, arene**, sulfonation, reactivity order, 403, 403
- carbodiimides**, in nucleophilic substitution of ephedrine, 365
- carbohydrates**, 1-deoxynojirimycin derivs., biosynthesis, 507; glucofuranosidurono-6,3-lactones, 79; polyhydroxy amphiphiles, 260; TEMPO-mediated oxidation of primary alcohol groups, 165
- carbon monoxide**, adsorption on Pd-Rh/SiO₂ catalysts, 431; hydrogenation by Rh/SiO₂; FTIR, 448; hydrogenation to oxygenates, book, 418; hydrogenation, influence of catalyst impurities, 481
- carboxylic acids**, hydrogenation to aldehydes, 426
- cardiovascular histamine H₂ agonists**, thesis, 304
- carotenes**, labeled astaxanthin, 552
- carrier-mediated transport**, through liquid membranes, thesis, 334
- cast films**, mono- and bilayers of single-chain ammonium amphiphiles, 201
- catalysis**, biacetyl adsorption on Rh/SiO₂; FTIR, 448; bio in non-conventional media, book, 114; bromate oxidation of α -D-gluc-

- pyranoside, Ru complex, 411; carbon monoxide hydrogenation, influence of impurities, 481; chelate effect, review, 493; chiral-Ln-catalyzed MPV reduction, 488; enantioselective hydrogenation of pyruvate, 465; enzyme models, review, 343; FEM and FIM, 439; heterogeneous, book, 114; heteropolyacids, review, 115; high-technology, review, 419; hydrogenation of α,β -unsatd. aldehydes over Pt, thesis, 577; hydrogenation of acetic acid to acetaldehyde, 426; in acid-induced decomposition of coenzyme B₁₂, 137; nitrobenzene reduction over metal oxides, thesis, 577; organonickel in Kharash addition reaction, 267; oxidation of hydrogen on Pt, 444; oxidation, by vanadium-contg. 12-molybdophosphoric acid, 475; oxidative coupling of methane to ethane, 459; oxygenates by homologation or CO hydrogenation, book, 418; Pd-Rh/SiO₂, CO and NO adsorption, 431; propane activation over Ga-modified H-ZS M-5 catalysts, 454; reduction over metal oxides, thesis, 578; rhodium hydride diphosphite in hydroformylation, 61; Sachtler, Prof. W.M.H., special issue, Nr. 10; selective oxidation, book, 380
- cavitation**, sonochemistry, review, 533
- cephalosporins**, 3-(1-alkenyl), 305
- chain length**, mono- and bilayers of single-chain ammonium amphiphiles, 201
- chalcogen amides**, from α -substd. diphenylphosphine oxide anions with S and Se, 499
- charge-transfer state**, donor-bridge-acceptor systems, long-range charge separation, thesis, 334
- CHARM**, molecular mechanics on di- and tetraarylporphyrins, 351
- chelate effect**, in binding, catalysis and chemotherapy, review, 493
- CHEMFETs**, see Chemically modified Field-Effect Transistors
- chemical waves**, oxidation of hydrogen on Pt, 444
- chemical weapons**, destruction in microemulsions, 176
- Chemically modified Field-Effect Transistors (CHEMFETs)**, sodium-selective, thesis, 111
- chemotherapy**, chelate effect, review, 493
- chirality**, aggregate surfactants with imidazole and pyrazole ligands, 186; assemblies of peptide lipids and macrocyclic cyclophanes, 209; cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524; enantioselective hydrogenation of pyruvate, 465; ephedrine, 355, 365; 3Z-ethylidene-2-naphthalenols, 307; L-histidine, labeled, 318; inositol phosphate, 335; Ln-catalyzed MPV reduction, 488; natural products, asymmetric synthesis, book, 380; nitroazobenzene dye + amylose acetate, thin films, SHG, 250; organonickel with chiral pyrrolidinyl ligands, 267
- 2-chlorodioxaphospholane**, for phosphorylcholine amphiphiles, 293
- cholate**, in steroid cyclophanes in bilayer membranes, 216
- cholesteryl ω -(cyanobiphenyloxy)alkanoates**, liquid-crystalline phase, 524
- chromatography**, gel-filtration, assemblies of peptide lipids and macrocyclic cyclophanes, 209; labeled astaxanthin, 552
- chromophores**, alignment in mono- and bilayers of single-chain ammonium amphiphiles, 201; in bacteriorhodopsins, 45
- cinchonidine**, modifying platinum as catalyst in enantioselective hydrogenation of pyruvate, 465
- cis-trans selectivity**, β -lactams (3-substd.) from Zn enolates and imines, 567
- cloud point**, lamellar liquid-crystalline phase, 231
- CMC**, see Critical Micellar Concentration
- co-surfactants**, bola-amphiphiles with pyridinium headgroup, 222
- coal-type hydrogen donors**, in thermolysis of arenes, thesis, 111
- cobalamine**, hydronation, 137
- cobalt**, alkyl, coenzyme B₁₂, Costa-type model, 329; organo, Schiff bases, thesis, 304; see also coenzyme B₁₂
- coenzyme B₁₂**, acid-induced decomposition, 137; Costa-type model, 329; organocobalt Schiff bases, models, thesis, 304
- complexation**, calcium by dicarboxy-inulin, 398; coenzyme B₁₂, Costa-type model, 329; in carrier-mediated transport through liquid membranes, thesis, 334; manganese *N,N'*-disalicylidene-cyclohexanediamine, 413
- computational chemistry**, see CAOS
- computer simulation**, headgroups in lipid bilayer membranes, 167; models of micelle formation, 181
- Computer-Assisted Organic Synthesis (CAOS)**, taxol, 297
- conductivity**, bola-amphiphiles with pyridinium headgroup, 222; oxidative coupling of methane to ethane, 459
- conformation**, benzo[*h*]quinoline deriv., 383; bola-amphiphiles with pyridinium headgroup, 222; di- and tetraarylporphyrins, 351; 3Z-ethylidene-2-naphthalenols, 307; headgroups in lipid bilayer membranes, 167; hydridorhodium diphosphite, 61; peptides containing α -disubstituted glycine, 29; poly(alkylmethyldiallylammonium) bromides, fluorescence, 390; in restricted amino acids, review, 1; retinals, 99
- contact preparation**, polyhydroxy amphiphiles, 260
- controlled phase separation**, gel-template leaching, 241
- coordination**, Pd to rigid bidentate N ligands, 88
- Copper**, 1,2,4-triazole and acylamidrazone complexes, thesis, 416
- copper**, binding to surfactants with imidazole and pyrazole ligands, 186
- critical aggregate concentration**, poly(alkylmethyldiallylammonium) bromides, fluorescence, 390
- Critical Micellar Concentration (CMC)**, 2-(long-alkyl)propanediyl bis(sodium sulfates), surfactants, 163; bola-amphiphiles with pyridinium headgroup, 222
- cross-linked networks**, in gel-template leaching, 241
- crowding**, C-halophosphaalkenes, 278
- crown ethers**, dithia-porphyrine, crystal structure, 109; in carrier-mediated transport through liquid membranes, thesis, 334; in enzyme models, review, 343; organometallic 1,3-xylylene, thesis, 304
- crystal growth**, fluid mechanics, book, 417
- crystal structure**, benzo[*h*]quinoline deriv., 383; dithiacrown ether porphyrine, 109; 4-imidazolin-2-ones, 283; manganese *N,N'*-disalicylidene-cyclohexanediamine complex, 413; organonickel with chiral pyrrolidinyl ligands, 267; Pd complexes with rigid bidentate N ligands, 88; pyrazolo[1,2-*a*]pyrazole-1-carboxylate, 145; tripeptide containing α -disubstituted glycine, 29
- cyanate**, in α -bromo ketimines to 4-imidazolin-2-ones, 283
- ω -(cyanobiphenyloxy)alkanoates**, **cholesteryl**, liquid-crystalline phase, 524
- cyclization**, see ring closure
- cyclodextrin**, binding by dimer, chelate effect, review, 493
- cycloheptadiene**, 1,2-dimethylene-3,5-, 377
- 1,1-cyclohexanedicarbonitriles**, 4-hydroxy, for 3-pyridinecarbonitriles, 35
- cyclopeptides**, macrocyclic cyclophanes, 209
- cyclophanes**, assemblies with peptide lipids, 209; steroid in bilayer membranes, 216
- cyclopropanes**, *gem*-bromohalo, reduction by dimsyl anion, 53
- cytosine**, for methylphosphonate analogues, 40
- dendrimers**, poly(propyleneimine), ¹⁵N NMR, 573
- 5'-deoxyadenosine**, acid-induced decomposition, 137
- 1-deoxynojirimycin**, derivs., biosynthesis, 507
- detergent**, see surfactant
- deuteration**, L-glutamic acid, 369
- deuterium labeling**, unsaturated monogalactosyl diglyceride, 237
- dicarboxy-inulin**, from inuline hypochlorite oxidation, 398
- Diels-Alder**, taxol, 297
- 2-(diethoxyphosphinyl)alkanedinitriles**, for retinals, 45
- difference spectrophotometry**, bola-amphiphiles with pyridinium headgroup, 222
- Differential Scanning Calorimetry (DSC)**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; bola-amphiphiles with pyridinium headgroup, 222; cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524; surfactants with imidazole and pyrazole ligands, 186
- Differential ThermoGravimetry (DTG)**, oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475, 475
- diffusion**, in carrier-mediated transport through liquid membranes, thesis, 334
- diglyceride**, deuterium labeling, galactosyl, 237
- dilithiobenzene**, 1,3- and 1,4-, 527
- 1,2-dimethylene-3,5-cycloheptadiene**, 377
- dimethylsulfonio-dehydrogenation**, azuleno[2,1,8,1*ja*]azulene (isopyrene) in DMSO, 288
- dimsyl anion**, DMSO anion, reducing bromohalocyclopropanes, 53
- dimyristoylphosphatidylserine**, in lipid bilayer membranes, 167
- dioxaphospholane**, 2-chloro, for phosphorylcholine amphiphiles, 293
- dipeptides**, containing restricted amino acids, review, 1
- diphenylphosphine oxide anions**, α -substd., with S and Se, 499
- DIP**, inositol phosphate, 335
- dithiacrown ether**, porphyrine, crystal structure, 109
- DLS**, see Dynamic Light Scattering
- DMSO anion**, reducing bromohalocyclopropanes, 53
- DMSO SO₃**, azuleno[2,1,8,1*ja*]azulene (isopyrene) sulfonation, 288
- DNA**, 5-(β -D-glucopyranosyloxymethyl)-2'-deoxyuridine, 337; methylphosphonate analogues, 40
- dNM**, 1-deoxynojirimycin derivs., biosynthesis, 507
- dodecylbenzenesulfonate**, in lamellar liquid-crystalline phase, 231
- donor-bridge-acceptor systems**, long-range charge separation, thesis, 334
- drugs**, discovery, book, 381; peptidomimetics, review, 63
- DSC**, see Differential Scanning Calorimetry
- DTG**, see Differential ThermoGravimetry
- Dynamic Light Scattering (DLS)**, assemblies of peptide lipids and macrocyclic cyclophanes, 209

- electrical conductivity**, oxidative coupling of methane to ethane, 459
- electron diffraction**, nitroazobenzene dye + amylose acetate, thin films, SHG, 250
- electron microscopy**, see microscopy; mono- and bilayers of single-chain ammonium amphiphiles, 201; phosphorylcholine amphiphiles, bilayer vesicles, 293
- Electron Paramagnetic Resonance (EPR)**, surfactants with imidazole and pyrazole ligands, 186
- electron-beam lithography**, for high-technology catalysis, review, 419
- electronic spectra**, see UV
- emulsions, micro**, in environmental cleanup, 176
- enantiomers**, see chirality
- enantioselective hydrogenation**, pyruvate, 465
- endohedral fullerene**, trend, 543
- enolates, Zn**, for 3-substd. β -lactams, 567
- enzymatic labeling**, L-glutamic acid, 369
- enzymes**, coenzyme B₁₂, acid-induced decomposition, 137; coenzyme B₁₂, Costa-type model, 329, 329; contg. α -disubstituted glycine, 29; models, review, 343; contg. restricted amino acids, review, 1
- ephedrine**, Mitsunobu reaction, 355
- epitaxy, atomic-layer**, for high-technology catalysis, review, 419
- epoxidation catalyst**, Jacobson, crystal structure, 413
- 1,2-epoxybutane**, in Wittig reaction for 3-(1-alkenyl)cephalosporins, 305
- EPR**, see Electron Paramagnetic Resonance
- equilibrium**, propane activation over Ga-modified H-ZS M-5 catalysts, 454
- equipment**, for sonochemistry, review, 533
- ethane**, from oxidative coupling of methane, 459
- 3Z-ethylidene-2-naphthalenols**, 307
- Evans transmission window**, theory, 423
- EVROPT-1**, adsorption on Pt in enantioselective hydrogenation of pyruvate, 465
- Fano coupling**, in perturbed solid acid hydroxyls, 423
- farnesyl pyrophosphate (FPP)**, analogues, 563
- farnesyl pyrophosphate**, analogues, 563
- Fast Protein Liquid Chromatography (FPLC)**, for methylphosphonate analogues, 40
- FEM**, see field-emission microscopy
- Fermi resonance**, theory, 423
- fibers**, mono- and bilayers of single-chain ammonium amphiphiles, 201
- fibrinogen**, peptidomimetics, review, 63
- field-emission microscopy (FEM)**, catalyst surfaces, 439; gas-Pt and Rh interactions, thesis, 577
- field-ion microscopy (FIM)**, catalyst surfaces, 439; oxidation of hydrogen on Pt, 444
- FIM**, see field-ion microscopy
- fluid mechanics**, shaped crystal growth, book, 417
- fluorescence polarization**, assemblies of peptide lipids and macrocyclic cyclophanes, 209
- fluorescence**, 3Z-ethylidene-2-naphthalenols, 307; hydrophobic microdomains, 390
- fluxionality**, benzo[h]quinoline deriv., 383
- formulae**, see mathematical equations
- Fourier Transform IR (FTIR)**, peptides containing α -disubstituted glycine, 29
- FPLC**, see Fast Protein Liquid Chromatography
- FPP**, see farnesyl pyrophosphate
- fragrance**, see odor
- free radicals**, see radicals
- FTIR**, see Fourier Transform IR
- fullerene, endohedral**, trend, 543
- galactosyl diglyceride**, deuterium labeling, 237
- gallium**, propane activation over Ga-modified H-ZS M-5 catalysts, 454
- gas-metal interactions**, no reduction over Pt and Rh, thesis, 577
- gel-filtration chromatography**, assemblies of peptide lipids and macrocyclic cyclophanes, 209
- gel-template leaching**, for methacrylate resin membranes, 241
- generations**, in poly(propyleneimine) dendrimers, 573
- germination**, of witch weed by carba-strigols, 21
- glucofuranosidurono-6,3-lactones**, 79
- α -D-glucopyranoside**, bromate oxidation catalyzed by Ru complex, 411
- 5-(β -D-glucopyranosyloxymethyl)-2'-deoxyuridine**, 337
- L-glutamic acid**, enzymatic labeling, 369
- glyceride**, deuterium labeling, galactosyl di, 237
- glycine, α -disubstituted**, 29
- glycolipids**, galactosyl diglyceride, deuterium labeled, 237
- N-glycoprotein**, 1-deoxynojirimycin derivs., biosynthesis, 507
- glycosidase inhibitors**, 1-deoxynojirimycin derivs., 507
- glycosidation**, 5-(β -D-glucopyranosyloxymethyl)-2'-deoxyuridine, 337; to glucofuranosidurono-6,3-lactones, 79
- guanine**, for methylphosphonate analogues, 40
- halogen-lithium exchange**, 1,3- and 1,4-dilithiobenzene, 527
- C-halophosphaalkenes**, 278
- harmonic generation (SHG)**, second-, from thin films, 250
- harpooning mechanism**, donor-bridge-acceptor systems, long-range charge separation, thesis, 334
- HBTU, CF₃-**, peptide coupling reagent, 394
- headgroups**, conformation and tilting in lipid bilayer membranes, 167; double in 2-(long-alkyl)propanediyl bis(sodium sulfates), surfactants, 163; in bola-amphiphiles, 222; self-organizing assemblies, special issue, 167-265
- α -helices**, in restricted amino acids, review, 1
- heptanedinitrile, 2-(diethoxyphosphinyl)**, for retinals, 45
- heterogeneous catalysis**, book, 114
- heteropolyacids (HPAs)**, catalysts, review, 115
- heteropolyoxometallates**, vanadium-contg. 12-molybdophosphoric acid, 475
- hexagonal phase**, galactosyl diglyceride, deuterium labeled, 237
- hexanedinitrile, 2-(diethoxyphosphinyl)**, for retinals, 45
- 1-hexanol**, induction of lyotropic mesophase in bola-amphiphiles, 222
- high-technology catalysts**, review, 419
- hindered amino acids**, peptide condensation, 394
- histamine H₂ agonists**, cardiovascular, thesis, 304
- L-histidine**, labeled, 318
- HIV-1**, 1-deoxynojirimycin derivs., antiviral activity, 507
- Hoff lecture, van 't**, chelate effect in binding, catalysis and chemotherapy, review, 493
- Hofmeister series**, lamellar liquid-crystalline phase, 231
- homologation**, oxygenates, book, 418
- Horner-Wittig reaction**, α -substd. diphenylphosphine oxide anions with S and Se, 499
- host-guest chemistry**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; enzyme models, review, 343; steroid cyclophanes in bilayer membranes, 216
- hot-spot theory**, sonochemistry, review, 533
- HPAs**, see heteropolyacids
- hybrid molecular assemblies**, in steroid cyclophanes in bilayer membranes, 216; peptide lipids and macrocyclic cyclophanes, 209
- hydrazine**, for methylphosphonate analogues, 40
- N-hydrazonium ions, acyl**, for bicyclic 3-pyrazolidinones, 145
- hydride transfer**, in enzyme models, review, 343
- hydridorhodium diphosphite**, hydroformylation catalyst, 61
- hydrocarbonylation**, hydridorhodium diphosphite, catalyst, 61; oxygenates by homologation or CO hydrogenation, book, 418
- hydrogenation**, α,β -unsatd. aldehydes over metal catalysts, thesis, 577; acetic acid to acetaldehyde, 426; carbon monoxide, influence of catalyst impurities, 481; pyruvate, 465
- hydrogen**, oxidation on Pt, 444
- hydrophobic microdomains**, fluorescence, 390
- hydroxyls, perturbed**, Fano coupling, 423
- hypobromite**, primary alcohol groups in polysaccharides, oxidation, 165
- hypochlorite oxidation**, inulin, 398
- imidazoles**, bis- of cyclodextrin, catalysis, chelate effect, review, 493; labeled L-histidine, 318; ligands in surfactants, 186
- 4-imidazolin-2-ones**, from α -bromo ketimines, 283
- imines**, of phosphorus, book, 382; Zn for 3-substd. β -lactams, 567
- iminoacenaphthene, 1,2-di**, Pd complexes, 88
- immunosuppressive activity**, 1-deoxynojirimycin derivs., 507
- indeno[1,2-b]furan-2-ones**, carba-strigols, 21
- inorganic chemistry**, book, 531
- inositol phosphate**, 335
- inulin**, hypochlorite oxidation, 398; TEMPO-mediated oxidation of primary alcohol groups, 165
- inversion**, pseudoephedrine, 355
- iodine-bromine exchange**, C-halophosphaalkenes, 278
- ion selectivity**, in gel-template leaching, 241
- IR**, biacetyl adsorption on Rh/SiO₂; FTIR, 448; CO and NO adsorption on Pd-Rh/SiO₂ catalysts, 431; Fano coupling in perturbed hydroxyls, 423; nitroazobenzene dye + amylose acetate, thin films, SHG, 250; oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475; peptides containing α -disubstituted glycine, FTIR, 29
- isopyrene (azuleno[2,1,8,ija]azulene)**, sulfonation in DMSO, 288
- isotopomers**, see labeling
- isoureas**, in nucleophilic substitution of ephedrine, 365
- Jacobson epoxidation catalyst**, crystal structure, 413
- Keggin anion**, vanadium in 12-molybdophosphoric acid catalysts, 475

- ketimines, α -bromo**, for 4-imidazolin-2-ones, 283
- ketones**, aromatic, sulfonation, reactivity order, 403; chiral-Ln-catalyzed MPV reduction, 488
- Kharash addition reaction**, organonickel catalyst, 267
- kinetics**, coenzyme B₁₂, acid-induced decomposition, 137; oxidative coupling of methane to ethane, 459; propane activation over Ga-modified H-ZS M-5 catalysts, 454; surfactants with imidazole and pyrazole ligands, 186
- KMES16 (nitroazobenzene dye)**, + amylose acetate, thin films, SHG, 250
- Krafft temperature**, 2-(long-alkyl)propanediyl bis(sodium sulfates), surfactants, 163
- labeling**, L- α -amino acids with stable isotopes, thesis, 111; astaxanthin, 552; unsaturated monogalactosyl diglyceride with deuterium, 237; L-glutamic acid, 369; L-histidine, 318; ubiquinone-0 and -10 with C13, 153
- β -lactams**, 3-substd., from Zn enolates and imines, 567
- lamellar liquid-crystalline phase**, physical stability, 231
- lamellar lyotropic mesophase**, bola-amphiphiles with pyridinium headgroup, 222
- Langmuir-blodgett (LB) films**, SHG, 250
- lanthanides**, chiral-Ln-catalyzed MPV reduction, 488
- Laser Raman Spectroscopy (LRS)**, oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475
- LB (Langmuir-blodgett) films**, SHG, 250
- leaching, gel-template**, for methacrylate resin membranes, 241
- LEED**, adsorption on Pt in enantioselective hydrogenation of pyruvate, 465
- LEISS**, nitrobenzene reduction over metal oxides, thesis, 577
- LHASA analysis**, taxol, 297
- ligands**, rigid, bidentate, contg. N, 88
- lipid bilayer membranes**, headgroups conformation, 167
- lipid peptides**, assemblies with macrocyclic cyclophanes, 209
- liquid membranes**, carrier-mediated transport, thesis, 334
- liquid-crystalline phase**, polyhydroxy amphiphiles, 260
- liquid-crystalline phase**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; bilayer membranes, 167; cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524; physical stability, 231; self-organizing assemblies, special issue, 167-265
- lithiobenzene, 1,3-di- and 1,4-di**, 527
- lithium**, organo, acceleration of alkylation by KOtBu, 529
- locked trienes**, thesis, 304
- 2-(long-alkyl)propanediyl bis(sodium sulfates)**, surfactants, 163
- loops**, in restricted amino acids, review, 1
- LRS**, see Laser Raman Spectroscopy
- lyotropic mesophase**, bola-amphiphiles with pyridinium headgroup, 222; lamellar liquid-crystalline phase, 231; polyhydroxy amphiphiles, 260; self-organizing assemblies, special issue, 167-265
- L-lysine**, in steroid cyclophanes in bilayer membranes, 216
- macrocyclic cyclophanes**, assemblies with peptide lipids, 209; steroid in bilayer membranes, 216
- magnesia**, as catalyst in oxidative coupling of methane to ethane, 459
- magnetism**, Cu 1,2,4-triazoles and Cu acylamidrazones, thesis, 416
- malononitriles, arylidene**, for 3-pyridinecarbonitriles, 35
- manganese oxide (Mn₃O₄)**, catalyst in nitrobenzene reduction, thesis, 577; catalyst in reduction, thesis, 578
- manganese**, N,N'-disalicylidene-cyclohexanediamine complex, crystal structure, 413
- D-mannitol, diisopropylidene**, MPV reduction of acetophenone catalyzed by Ln complex, 488
- mass-action model**, bola-amphiphiles with pyridinium headgroup, 222; micelle formation, 181
- Mass spectrometry**, see MS
- mathematical equations**, Evans transmission window, theory, 423
- mechanism**, β -lactams (3-substd.) from Zn enolates and imines, 567; α -substd. diphenylphosphine oxide anions with S and Se, 499; sulfonation of benzenes and naphthalenes, 403; sulfonation of phenyl- and naphthyl-substd. naphthalenes, 517
- medicinal chemistry**, drug discovery, book, 381
- Meerwein-Ponndorf-Verley (MPV) reduction**, chiral-Ln-catalyzed, 488
- membranes**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; carrier-mediated transport, thesis, 334; headgroups conformation, 167; methacrylate resins, by gel-template leaching, 241; mono- and bilayers of single-chain ammonium amphiphiles, 201; steroid cyclophanes, 216
- mesogens**, glucofuranosidurono-6,3-lactones, 79
- mesophase**, bola-amphiphiles with pyridinium headgroup, 222; polyhydroxy amphiphiles, 260; self-organizing assemblies, special issue, 167-265
- metabolism**, shikimic acid, book, 417
- metallo-vesicles**, surfactants with imidazole and pyrazole ligands, 186
- methacrylate**, resin membranes by gel-template leaching, 241
- methane**, oxidative coupling to ethane, 459
- methanol**, from carbon monoxide hydrogenation, 481; oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475
- 8,16-methanoretinol**, 99
- methylenephosphines**, 278
- methylphosphonate oligodeoxynucleotides (MPO)**, DNA analogues, 40
- micelles**, bola-amphiphiles with pyridinium headgroup, 222; formation, models, 181; self-organizing assemblies, special issue, 167-265
- Michael addition**, for 3-pyridinecarbonitriles, 35
- microdomains**, fluorescence, 390
- microemulsions**, in environmental cleanup, 176
- microkinetics**, oxidative coupling of methane to ethane, 459
- microscopy**, D-(-)-threitol phospholipid, aggregation, 194; surfactants with imidazole and pyrazole ligands, 186
- mimetics**, peptidomimetics, review, 63; review, 1
- Mitsunobu reaction**, ephedrine, 355
- mixed-metal oxides**, heteropolyacid catalysts, review, 115
- MM**, see molecular mechanics
- MNDO**, see quantum chemistry
- molecular alignment**, mono- and bilayers of single-chain ammonium amphiphiles, 201
- molecular mechanics (MM)**, adsorption on Pt in enantioselective hydrogenation of pyruvate, 465; di- and tetraarylporphyrins, 351; retinals, 45, 99
- molecular recognition**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; self-organizing assemblies, special issue, 167-265; steroid cyclophanes in bilayer membranes, 216
- molybdenum**, oxides, heteropolyacid catalysts, review, 115
- 12-molybdophosphoric acid**, catalysts contg. vanadium, 475
- monolayers**, D-(-)-threitol phospholipid, aggregation, 194; single-chain ammonium amphiphiles, 201
- MPO**, see methylphosphonate oligodeoxynucleotides
- MPV reduction**, see Meerwein-Ponndorf-Verley reduction
- MS (Mass Spectroscopy)**, L-glutamic acid, enzymatic labeling, 369; L-histidine, labeled, 318; labeled astaxanthin, 552; retinals, 45; ubiquinone-0 and -10, C13-labeled, 153
- multi-bilayers**, single-chain ammonium amphiphiles, 201
- mustard gas**, destruction in microemulsions, 176
- myristoylphosphatidylserine, di**, in lipid bilayer membranes, 167
- NaDoBS**, sodium dodecylbenzenesulfonate, in lamellar liquid-crystalline phase, 231
- naphthalenes**, phenyl- and naphthyl-substd., sulfonation, 517; sulfonation, reactivity order, 403
- 2-naphthalenols**, 307
- natural products**, asymmetric synthesis, book, 380
- NDDO**, see Neglect of Diatomic Differential Overlap
- Neglect of Diatomic Differential Overlap (NDDO)**, Pd complexes with rigid bidentate N ligands, 88
- neomenthanethiol**, 365
- nerve agents**, destruction in microemulsions, 176
- networks, cross-linked**, in gel-template leaching, 241
- neuropeptides**, peptidomimetics, review, 63
- nickel**, organo, with chiral pyrrolidinyl ligands, 267
- nitroarenes**, sulfonation, reactivity order, 403
- 4-nitroazobenzene dye (KMES16)**, + amylose acetate, thin films, SHG, 250
- nitrobenzene**, oxide catalysts in reduction, thesis, 577; reduction to nitrosobenzene over metal oxides, thesis, 578
- nitrogen dioxide**, for phosphorylcholine amphiphiles, 293
- nitrogen inversion barrier**, in bicyclic 3-pyrazolidinones, 145
- nitrogen ligands**, rigid, bidentate, 88
- nitrogen oxide (NO)**, adsorption on Pd-Rh/SiO₂ catalysts, 431
- NLO (nonlinear optical) dyes**, + amylose acetate, thin films, SHG, 250
- ¹³C NMR**, benzo[h]quinoline deriv., 383; bicyclic 3-pyrazolidinones, 145; coenzyme B₁₂, Costa-type model, 329; 3Z-ethylidene-2-naphthalenols, 307; L-glutamic acid, enzymatic labeling, 369; L-histidine, labeled, 318; labeled astaxanthin, 552; β -lactams (3-substd.) from Zn enolates and imines, 567; mass NMR, propane activation over Ga-modified H-ZS M-5 catalysts, 454; organonickel with chiral pyrrolidinyl ligands, 267; Pd complexes with rigid bidentate N ligands, 88; ubiquinone-0 and -10, C13-labeled, 153
- ¹H NMR**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; labeled astaxanthin, 552; benzo[h]quinoline deriv., 383; bicyclic 3-pyrazolidinones, 145; coenzyme B₁₂, Costa-type model, 329; 3Z-ethylidene-2-naphthalenols, 307; L-glutamic acid, enzymatic labeling, 369; L-histidine, labeled, 318; hydridorhodium diphosphite, 61; β -lactams (3-substd.) from Zn enolates and imines, 567; organonickel with chiral pyrrolidinyl ligands, 267; Pd

- complexes with rigid bidentate N ligands, 88; peptides containing α -disubstituted glycine, 29; phosphorylcholine amphiphiles, bilayer vesicles, 293; retinals, 45, 99; ubiquinone-0 and -10, C13-labeled, 153
- ²H NMR, galactosyl diglyceride, deuterium labeled, 237
- ¹⁵N NMR, L-histidine, labeled, 318; poly(propyleneimine) dendrimers, 573
- ³¹P NMR, phosphorylcholine amphiphiles, bilayer vesicles, 293; D-(-)-threitol phospholipid, aggregation, 194
- ⁵¹V NMR, oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475
- nojirimycin, 1-deoxy**, derivs., biosynthesis, 507
- non-conventional media**, biocatalysis, book, 114
- non-linear dynamics**, oxidation of hydrogen on Pt, 444
- non-linear optical (NLO) dyes**, + amylose acetate, thin films, SHG, 250
- 18-norretinal**, 45
- 20-norretinal**, 45
- nucleic acids**, methylphosphonate analogues of DNA, 40
- nucleophilic substitution**, ephedrine, 355, 365
- nucleoside**, 5-(β -D-glucopyranosyloxymethyl)-2'-deoxyuridine, 337
- OCM**, oxidative coupling of methane to ethane, 459
- odd-even effect**, optics of chiral liquid-crystalline cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524, 524
- odor**, chemistry of fragrant substances, book, 381
- oligodeoxynucleotides**, methylphosphonate, 40
- opsin shift**, in bacteriorhodopsins, 45
- optical activity**, see chirality
- ordered adsorption**, on Pt in enantioselective hydrogenation of pyruvate, 465
- ordering**, cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524
- organic chemistry, physical**, book, 113
- organic peroxides**, book, 342
- organocobalt**, Schiff bases, thesis, 304
- organolithium**, acceleration of alkylation by KOtBu, 529; 1,3-di- and 1,4-dilithiobenzene, 527
- organometallic 1,3-xylylene crown ethers**, thesis, 304
- organonickel**, with chiral pyrrolidinyl ligands, 267
- organophosphorus**, book, 382
- oscillating reactions**, oxidation of hydrogen on Pt, 444
- oxidation catalysts**, heteropolyacids, review, 115
- oxidation**, catalytic selective, book, 380; inulin, hypochlorite, 398; methanol, butane, pentane catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475
- oxidative coupling of methane (OCM)**, to ethane, 459
- oxirane, 2-ethyl**, in Wittig reaction for 3-(1-alkenyl)cephalosporins, 305
- oxygenates**, by homologation or CO hydrogenation, book, 418
- packing parameter**, phosphorylcholine amphiphiles, bilayer vesicles, 293
- palladium**, CO and NO adsorption on Pd-Rh/SiO₂ catalysts, 431; on SiO₂ catalyst in CO hydrogenation, 481; rigid bidentate N ligand complexes, 88
- pentane**, oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475
- peptide coupling reagents**, CF₃-BOP, CF₃-PyBOP, CF₃-HBTU, 394
- peptide lipids**, assemblies with macrocyclic cyclophanes, 209
- peptides**, assemblies with macrocyclic cyclophanes, 209; containing α -disubstituted glycine, 29; containing restricted amino acids, review, 1; peptidomimetics, review, 63
- peptidomimetics**, review, 1, 63
- perfluoroalkanes**, in gel-template leaching, 241
- peroxides**, organic, book, 342
- perturbation**, assemblies of peptide lipids and macrocyclic cyclophanes, 209
- perturbed hydroxyls**, Fano coupling, 423
- pharmacology**, cardiovascular histamine H₂ agonists, thesis, 304
- phase diagram**, bola-amphiphiles with pyridinium headgroup, 222
- phase-separation model**, bola-amphiphiles with pyridinium headgroup, 222
- C-phosphaalkenes**, 278
- phosphatidylcholine**, headgroup, conformation in lipid bilayer membranes, 167
- phosphatidylserine, dimyristoyl**, in lipid bilayer membranes, 167
- phosphine oxide anions, α -substd. diphenyl**, with S and Se, 499
- phosphitylation**, 5-(β -D-glucopyranosyloxymethyl)-2'-deoxyuridine, 337; inositol phosphate, 335
- phospholipid**, D-(-)-threitol, aggregation, 194
- phosphonates, methyl**, DNA analogues, 40
- phosphonates, thiophene-2-**, via α,β -unsatd. sulfines, 547
- phosphonium salts**, book, 382
- phosphonomorpholide**, for farnesyl pyrophosphate analogues, 563
- phosphoranes**, book, 382
- phosphorus, ylides and imines**, book, 382
- phosphorus nerve agents**, destruction in microemulsions, 176
- phosphorylcholine**, amphiphiles, 293
- photochemistry**, donor-bridge-acceptor systems, long-range charge separation, thesis, 334; 3Z-ethylidene-2-naphthalenols, 307
- phthalimides**, in nucleophilic substitution of ephedrine, 365
- physical chemistry**, surfactants, book, 113
- physical organic chemistry**, book, 113
- pinacolone**, chiral-Ln-catalyzed MPV reduction, 488
- 1-piperidinyloxy, 2,2,6,6-tetramethyl- (TEMPO)**, primary alcohol groups in polysaccharides, oxidation, 165
- platinum**, catalyst in enantioselective hydrogenation of pyruvate, 465; gas-metal interactions, thesis, 577; hydrogen oxidation, 444; hydrogenation of α,β -unsatd. aldehydes over Pt, thesis, 577; in oxides as hydrogenation catalyst, 426
- poisoning**, catalyst in carbon monoxide hydrogenation, 481
- polarization microscopy**, cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524
- polarization, fluorescence**, assemblies of peptide lipids and macrocyclic cyclophanes, 209
- poly(alkylmethyldiallylammonium)**, bromides, fluorescence, 390
- poly(propyleneimine)**, dendrimers, ¹⁵N NMR, 573
- polyacids, hetero**, catalysts, review, 115
- polyhydroxy amphiphiles**, aggregation, 260
- polymer-supported synthesis**, see solid-phase synthesis
- polymerization**, by sonochemistry, review, 533
- polymorphism**, galactosyl diglyceride, deuterium labeled, 237
- polyols**, polyhydroxy amphiphiles, 260
- polysaccharides**, TEMPO-mediated oxidation of primary alcohol groups, 165
- polysoaps**, poly(alkylmethyldiallylammonium) bromides, fluorescence, 390
- porphyrane**, dithiacrown ether, crystal structure, 109
- porphyrins**, di- and tetraaryl, conformation, molecular mechanics, 351
- positional reactivity**, in sulfonation of phenyl- and naphthyl-substd. naphthalenes, 517; sulfonation of benzenes and naphthalenes, 403
- potassium tert-butoxide**, acceleration of organolithium alkylation, 529
- premicelles**, bola-amphiphiles with pyridinium headgroup, 222
- primary alcohol groups**, in polysaccharides, TEMPO-mediated oxidation, 165
- promoter effect**, in catalytic CO hydrogenation, 481
- propanediyl bis(sodium sulfates)**, 2-(long-alkyl), surfactants, 163
- propane**, activation over Ga-modified H-ZS M-5 catalysts, 454
- propellanes**, 53
- propenones, aryl-**, for 3-pyridinecarbonitriles, 35
- (propyleneimine)**, poly, dendrimers, ¹⁵N NMR, 573
- 3-(1-propylidene)cephalosporins**, 305
- propynylsilanes**, for bicyclic 3-pyrazolidinones, 145
- protecting groups**, in 5-(β -D-glucopyranosyloxymethyl)-2'-deoxyuridine, 337
- proteins**, see also peptides
- proton pump**, bacteriorhodopsins, 45
- pseudoephedrine**, Mitsunobu reaction, 355
- PyBOP, CF₃-**, peptide coupling reagent, 394
- pyrazole**, ligands in surfactants, 186
- 3-pyrazolidinones**, from N-acylhydrazonium ions, 145
- pyrazolo[1,2-a]pyrazolinones**, from N-acylhydrazonium ions, crystal structure, 145
- pyrene**, fluorescence probe for poly(alkylmethyldiallylammonium) bromides, 390
- 3-pyridinecarbonitriles**, from arylpropenones, 35
- pyridinium headgroup**, in bola-amphiphiles, 222
- pyrophosphate, farnesyl**, analogues, 563
- pyrrolidine**, chiral ligand in organonickel, 267
- pyruvate**, catalytic enantioselective hydrogenation, 465
- QUANTA**, molecular mechanics on di- and tetraarylporphyrins, 351
- quantum chemistry**, 3Z-ethylidene-2-naphthalenols, 307
- quinone-0 and -10, ubi**, C13-labeled, 153
- radicals**, free, introduction, book, 342; in cyclization to N and O heterocycles, thesis, 379
- rarefaction**, sonochemistry, review, 533
- reactivity, C-halophosphaalkenes**, 278
- rearrangement**, to 1,2-dimethylene-3,5-cycloheptadiene, 377
- receptor**, steroid cyclophanes in bilayer membranes, 216
- reduction**, acetic acid to acetaldehyde, 426; to glucofuranosiduronos-6,3-lactones by borohydrate, 79
- renin**, peptidomimetics, review, 63
- resin membranes**, methacrylate, by gel-template leaching, 241

- restricted amino acids**, review, 1
retinals, 45, 99
retrosynthesis, taxol, 297
reviews, chelate effect in binding, catalysis and chemotherapy, 493; conformationally restricted amino acids, 1; enzyme models, 343; heteropolyacid catalysts in acid-catalyzed reactions and oxidation catalysis, 115; high-technology catalysts, 419; peptidomimetics, 63; sonochemistry, 533
rhodium hydride diphosphite, hydroformylation catalyst, 61
rhodium, CO and NO adsorption on Pd-Rh/SiO₂ catalysts, 431; gas-metal interactions, thesis, 577; on SiO₂ catalyst in CO hydrogenation, 481
rhodopsins, retinals, 45, 99
rigid ligands, assemblies of peptide lipids and macrocyclic cyclophanes, 209; bidentate, contg. N, 88; in steroid cyclophanes in bilayer membranes, 216; single-chain ammonium amphiphiles, 201
ring closure, to bicyclic 3-pyrazolidinones, 145; to 1,2-dimethylene-3,5-cycloheptadiene, 377; functionalized tetrahydrofurans, 339; α -bromo ketimines to 4-imidazolin-2-ones, 283; to N and O heterocycles via captodative radicals, thesis, 379; to thiophene-2-phosphonates via α,β -unsatd. sulfines, 547
Rodd's chemistry of carbon compounds, 2nd suppl., Vol.1, book, 112; 2nd suppl., Vol.2, book, 112
rotational barriers, di- and tetraarylporphyrins, 351
ruthenium, [2-(phenylazo)pyridine], catalyst for glucopyranoside bromate oxidation, 411
saccharides, see carbohydrates
Sachtler, Prof. W.M.H., special issue, Nr. 10
salicylideneaniline amphiphiles, monolayers, 201
salicylidene-cyclohexanediamine, di, Mn complex, crystal structure, 413
salting-out, effect on stability of lamellar liquid-crystalline phase, 231
samarium, as catalyst in oxidative coupling of methane to ethane, 459
SAR, see Structure-Activity Relationship
second-harmonic generation (SHG), from thin films, 250
selective reflection wavelength, cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524
selenium, with α -substd. diphenylphosphine oxide anions, 499
selenoamides, from α -substd. diphenylphosphine oxide anions with Se, 499
self-assembly, lipids, 167; microemulsions in environmental cleanup, 176; models of micelle formation, 181; special issue, 167-265, 167-265
self-consistent field theory, headgroup conformation in lipid bilayer membranes, 167
shaped crystal growth, fluid mechanics, book, 417
 β -sheets, in restricted amino acids, review, 1
SHG (second-harmonic generation), from thin films, 250
shikimic acid, metabolism, book, 417
silanes, for bicyclic 3-pyrazolidinones, 145
silicon dioxide, ultra pure, catalyst support, 481
silicon-directed cyclization, functionalized tetrahydrofurans, 339
silver, dithiacrown ether porphyrine complex, 109
3-silyl- β -lactams, from Zn enolates and imines, 567
1-silylallene phosphonates, for thiophene-2-phosphonates, 547
single-chain ammonium amphiphiles, monolayers, 201
singlet, in locked trienes, thesis, 304
smell, see odor
SO₃, see sulfur trioxide
sodium-selective CHEMFETs, thesis, 111
solid-phase synthesis, methylphosphonate analogues, 40
sonochemistry, review, 533
stability, C-halophosphaalkenes, 278; lamellar liquid-crystalline phase, 231
stable-isotope-labeled L- α -amino acids, thesis, 111
starch, TEMPO-mediated oxidation of primary alcohol groups, 165
statistical thermodynamics, headgroup conformation in lipid bilayer membranes, 167
steady-state fluorescence polarization, assemblies of peptide lipids and macrocyclic cyclophanes, 209
stereochemistry, chelate effect, review, 493; 3Z-ethylidene-2-naphthalenols, 307; functionalized tetrahydrofurans, 339; inositol phosphate, 335
stereoselective photooxygenation, 3Z-ethylidene-2-naphthalenols, 307
steric protection, C-halophosphaalkenes, 278
steroids, cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524; cyclophanes in bilayer membranes, 216
stirring, sonochemistry, review, 533
strigol, carba analogues, 21
structure, Cu 1,2,4-triazoles and Cu acylamidrazones, thesis, 416
Structure-Activity Relationship (SAR), 1-deoxynojirimycin derivs., 507; peptidomimetics, review, 63; polyhydroxy amphiphiles, 260
substance P, peptidomimetics, review, 63
substituent directing effect, phenyl- and naphthyl-substd., sulfonation, 517
substrate spinning, for high-technology catalysts, review, 419
suicidal germination, of witch weed by carba-strigols, 21
sulfates, 2-(long-alkyl)propanediylbis(sodium), surfactants, 163
sulfines (thione oxides), α,β -unsatd. for thiophene-2-phosphonates, 547
sulfonation, azuleno[2,1,8,ija]azulene (isopyrene) in DMSO, 288; benzenes and naphthalenes, reactivity order, 403; phenyl- and naphthyl-substd. naphthalenes, 517
sulfonic acids, arene, sulfonation, reactivity order, 403
sulfur trioxide (SO₃), benzenes and naphthalenes, reactivity order, 403; with phenyl- and naphthyl-substd. naphthalenes, 517
sulfur, with α -substd. diphenylphosphine oxide anions, 499
supersonic jet spectroscopy, donor-bridge-acceptor systems, long-range charge separation, thesis, 334
supramolecular chemistry, see host-guest chemistry
surface monolayers, see monolayers
surface tension, bola-amphiphiles with pyridinium headgroup, 222
surfactants, effect on stability of lamellar liquid-crystalline phase, 231; glucofuranosidurono-6,3-lactones, 79; 2-(long-alkyl)propanediyl bis(sodium sulfates), 163; physical chemistry, book, 113; with imidazole and pyrazole ligands, 186
synthesis gas, hydrogenation to oxygenates, book, 418
taxol, LHASA analysis, 297
TEMPO, see 1-piperidinyloxy, 2,2,6,6-tetramethyl-terpene, strigol carba analogues, 21
tetrahydrofurans, functionalized, 339
theory, Evans transmission window, 423; models of micelle formation, 181; self-consistent field on headgroup conformation in lipid bilayer membranes, 167; sonochemistry, review, 533
therapeutics, peptidomimetics, review, 63
thermochemistry, propane activation over Ga-modified H-ZS M-5 catalysts, 454
thermodynamics, headgroup conformation in lipid bilayer membranes, 167; models of micelle formation, 181
thermolysis, arenes, thesis, 111
thermotropy, assemblies of peptide lipids and macrocyclic cyclophanes, 209; cholesteryl ω -(cyanobiphenyloxy)alkanoates, 524
theses, cardiovascular histamine H₂ agonists, 304; carrier-mediated transport through liquid membranes, 334; configurationally locked conjugated trienes, 304; Cu 1,2,4-triazoles and Cu acylamidrazones, 416; cyclization to N and O heterocycles via captodative radicals, 379; donor-bridgedonor-bridge-acceptor systems, long-range charge separation, thesis, 334; gas-metal interactions: no reduction over Pt and Rh, 577; hydrogenation of α,β -unsatd. aldehydes over metal catalysts, 577; organocobalt Schiff bases as coenzyme B₁₂ models, 304; organometallic 1,3-xylylene crown ethers, 304; oxide catalysts in nitrobenzene reduction, 577; reduction over metal oxides, 578; sodium-selective CHEMFETs, 111; stable-isotope-labeled L- α -amino acids, 111; thermolysis of arenes with coal-type hydrogen donors, 111
thiazolium, in enzyme models, review, 343
thin films, azo dye + amylose acetate, SHG, 250
thioamides, from α -substd. diphenylphosphine oxide anions with S, 499
thioephedrines, 365
thione oxide, see sulfine
thiophene-2-phosphonates, via α,β -unsatd. sulfines, 547
D-(-)-threitol, phospholipid, aggregation, 194
thrombin, peptidomimetics, review, 63
torsion angles, in restricted amino acids, review, 1
tosylmethyl isocyanide, for L-labeled histidine, 318
transient technique, oxidative coupling of methane to ethane, 459
trend, endohedral fullerene, 543
1,2,4-triazoles, Cu complex, thesis, 416
trienes, locked, thesis, 304
triplet, in locked trienes, thesis, 304
tungsten, oxides, heteropolyacid catalysts, review, 115
turns, in restricted amino acids, review, 1
ubiquinone-0 and -10, C13-labeled, 153
Ullmann reaction, sonochemistry, review, 533
ultrasound, sonochemistry, review, 533
Umpohlung, taxol, 297
ureas, iso, in nucleophilic substitution of ephedrine, 365
uridine, 5-(β -D-glucopyranosyloxymethyl)-2'-deoxy, 337
UV, assemblies of peptide lipids and macrocyclic cyclophanes, 209; bola-amphiphiles with pyridinium headgroup, 222; labeled astax-

- anthin, 552; manganese *N,N'*-disalicylidene-cyclohexanediamine complex, 413; mono- and bilayers of single-chain ammonium amphiphiles, 201; nitroazobenzene dye + amylose acetate, thin films, SHG, 250; organonickel with chiral pyrrolidinyl ligands, 267; retinals, 45
- Van 't Hoff lecture**, chelate effect in binding, catalysis and chemotherapy, review, 493
- vanadium**, in 12-molybdophosphoric acid catalysts, 475; oxides, heteropolyacid catalysts, review, 115
- vesicles**, assemblies of peptide lipids and macrocyclic cyclophanes, 209; bilayer, self-organizing assemblies, special issue, 167–265; mono- and bilayers of single-chain ammonium amphiphiles, 201; phosphorylcholine amphiphiles, 293; steroid cyclophanes in bilayer membranes, 216; surfactants with imidazole and pyrazole ligands, 186
- vibrational spectroscopy**, Fano coupling in perturbed hydroxyls, 423
- volume of activation**, in acid-induced decomposition of coenzyme B₁₂, 137
- Wittig reaction**, for 3Z-ethylidene-2-naphthalenols, 307; for 3-(1-alkenyl)cephalosporins, 305
- X-ray analysis**, see also crystal structure
- X-ray diffraction**, mono- and bilayers of single-chain ammonium amphiphiles, 201; nitroazobenzene dye + amylose acetate, thin films, SHG, 250; D-(–)-threitol phospholipid, aggregation, 194
- X-ray Photoelectron Spectroscopy (XPS)**, adsorption on Pt in enantioselective hydrogenation of pyruvate, 465; nitrobenzene reduction over metal oxides, thesis, 577; oxidation catalyzed by vanadium-contg. 12-molybdophosphoric acid, 475
- XPS**, see X-ray Photoelectron Spectroscopy
- 1,3-xylylene crown ethers**, organometallic, thesis, 304
- ylides**, of phosphorus, book, 382
- zeolites**, Fano coupling in perturbed hydroxyls, 423; in high-technology catalysts, review, 419
- zinc**, enolates and imines, for 3-substd. β -lactams, 567; Zn–Cu couple in sonochemistry, review, 533

